



Global Foodservice Equipment Catalog



hiltonbeachcommercial.com

Good Thinking®



hamiltonbeachcommercial.com



Over 100 years of commercial expertise

Since 1911, businesses have relied on Hamilton Beach Commercial® for top-performing, durable equipment. From innovative, high-performance blenders to vacuum packaging machines, we have everything you need to keep your business running smoothly, whether you operate a single restaurant, bar, or manage a chain.

Hamilton Beach Commercial® has a proud history of designing products with the end user in mind, focusing on quality, durability, and innovation. Another key to our customer-centric process is to support you with exceptional service every step of the way. Think of Hamilton Beach Commercial® as partners in your business — we go out of our way to ensure your satisfaction.

Beverage Prep

2-3	Bar Blenders
4-5	High-Performance Blenders
6-7	Beverage Automation
8-9	Drink Mixers

Food Prep

10-11	Expeditor™ Culinary Blenders
12-13	Back-of-the-House Equipment
14-15	FreshMark™ Juicers
16-18	PrimaVac™ Vacuum Packaging

Accessories

20-23	Supplies and Parts
-------	--------------------



Thoughtful products with meaningful innovation ... now that's **Good Thinking®**

Bar Blenders

Powering the front of the house

HBB908®



908® Blender

½ peak* HP motor

Blend Drinks in 25 Seconds – Perfect for operations that serve 1-15 drinks daily.

Two Speeds – Provide versatility and precision blending for a wide variety of drinks.

4 Durable Stainless Steel Blades – Made to last and get the job done fast.

44 oz./1.25 L Container – Break-resistant polycarbonate container with filler-cap and easy-to-read measurement marks makes filling and pouring easy.

Sure Grip™ Feet – Hold blender securely in place.

HBB909



909 Blender

½ peak* HP motor

Blend Drinks in 25 Seconds – Perfect for operations that serve 1-15 drinks daily.

Two Speeds – Provide versatility and precision blending for a wide variety of drinks.

4 Durable Stainless Steel Blades – Made to last and get the job done fast.

32 oz. Stainless Steel Container – Durable stainless steel offers long-lasting performance.

Sure Grip™ Feet – Hold blender securely in place.

HBB250



Rio® Blender

¾ peak Hp* motor

Blend Drinks in 20 Seconds – Perfect for operations that serve 15-25 drinks daily.

Wave~Action® System – Unique container design continually forces mixture down into blades for a super-creamy drink profile every time.

Two Speeds with Pulse Option – Offers versatility and precision blending for a wide variety of drinks.

4 Durable Stainless Steel Blades – Made to last and get the job done fast.

Jar Pad Sensor – Turns off motor when container is not in place to reduce clutch grinding (230V only).

44 oz./1.25L Container – Break-resistant polycarbonate container is stackable for storage.



Ship Weight: 7.3 lbs/3.3 kg

Warranty: 1 year parts & labor

120V Specifications:

HBB908

120V~, 60 HZ, 3.5A



230V Specifications:

HBB908-CE

HBB908-UK

220-240V~, 50-60 HZ, 400W

RoHS COMPLIANT



Ship Weight: 7.4 lbs/3.4 kg

Warranty: 1 year parts & labor

120V Specifications:

HBB909

120V~, 60 HZ, 3.5A



230V Specifications:

HBB909-CE

HBB909-UK

HBB909-CCC

220-240V~, 50-60 HZ, 450W

RoHS COMPLIANT



Ship Weight: 9.7 lbs/4.4 kg

Warranty: 2 years parts & labor

120V Specifications:

HBB250R

120V~, 60 HZ, 4A



230V Specifications:

HBB250-CE

HBB250-UK

HBB250-CCC

220-240V~, 50-60 HZ, 450W



RoHS COMPLIANT

Most bar blenders are pushed to their limit on a daily basis, so they need to be extremely durable and easy to use. These blending workhorses are built to last and can keep up with the demands of the busiest bars. All models feature intuitive controls, so bartenders can focus on blending and serving customers instead of wasting time on complicated functions.

HBB250S



Rio® Blender

¾ peak Hp* motor

Blend Drinks in 20 Seconds – Perfect for operations that serve 15-25 drinks daily.

Wave~Action® System – Unique container design continually forces mixture down into blades for a super creamy drink profile every time.

Two Speeds with Pulse Option – Offers versatility and precision blending for a wide variety of drinks.

4 Durable Stainless Steel Blades – Made to last and get the job done fast.

Jar Pad Sensor – Turns off motor when container is not in place to reduce clutch grinding (230V only).

32 oz./0.95L Stainless Steel Container – Built for long-lasting performance.

HBH450



Tango® Blender

1 Hp motor

Blend Drinks in 15 Seconds – Perfect for operations that serve 20-50 drinks daily.

Wave~Action® System – Unique container design continually forces mixture down into blades for a super creamy drink profile every time.

Timer and 2 Speeds with Pulse Option – The timer is indispensable for busy bars and 2 speeds offer precision blending for a wide variety of drinks.

All-Metal Drive Coupling – For long-lasting blending performance.

4 Durable Stainless Steel Blades – Made to last and get the job done fast.

48 oz./1.4 L Stackable Container – Break-resistant polycarbonate container is stackable for storage.

ACCESSORIZE

Keep your blenders in top condition and your business running smoothly

98908 Blender Repair Kit

For 908 and 909 series bar blenders



98250 Blender Repair Kit

Rio kit for HBB250 and HBB250S series



98450 Blender Repair Kit

Tango kit for HBH450 series



Ship Weight: 10 lbs/4.5 kg

Warranty: 2 years parts & labor

120V Specifications:

HBB250SR
120V~, 60 HZ, 4A



230V Specifications:

HBB250S-CE
HBB250S-UK
HBB250S-CCC
220-240V~, 50-60 HZ, 450W



RoHS COMPLIANT



Ship Weight: 11.7 lbs/5.3 kg

Warranty: 2 years parts & labor

120V Specifications:

HBH450R
120V~, 60 HZ, 6A



230V Specifications:

HBH450-CE
HBH450-UK
HBH450-CCC
220-240V~, 50-60 HZ, 600W



RoHS COMPLIANT



* Input power

Turn to page 18 for our complete selection of Bar Blender accessories

High-Performance Blenders

Improving high-volume efficiency

HBH550



Fury™ Blender 3 Hp motor

Two Speeds plus Pulse – Offer precision blending for a wide variety of drink mixtures.

Timer with Automatic Shutoff – Indispensable for busy bars, it frees operators up for other tasks.

Powerful 3 HP motor – Built with a durable all-metal drive coupling to satisfy the demands of the busiest bars.

64oz/1.8L Jar – Features patented Wave~Action® system for optimal blending performance.

HBH650



Tempest® Blender 3 Hp motor

Two Speeds, Jump Cycle, and Pulse Button – Offer precision blending for a wide variety of drink mixtures.

Timer with Automatic Shutoff – Indispensable for busy bars, it frees operators up for other tasks.

Powerful 3 HP motor – Built with a durable all-metal drive coupling to satisfy the demands of the busiest bars.

64oz/1.8L Jar – Features patented Wave~Action® system for optimal blending performance.

HBH755



Eclipse™ Blender 3 peak Hp* motor

Quiet Blend™ Technology – Reduces motor noise and works with the Quiet Shield™ enclosure to lower sound to conversation level.

Over 100 Pre-programmed Cycles – Can be assigned to 5 buttons for popular drinks and additional cycles can be loaded via memory card.

Sensors – Equipped on the shield and jar pad (120V only) to extend life and ensure quiet operation.

Powerful 3 HP Motor with Airflow Design – Provides excellent blending results, helps prevent motor overheating, and extends motor life.

64oz/1.8L Jar – Features patented Wave~Action® system for optimal blending performance.



Ship Weight: 13.9 lbs/6.3 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBH550

120V~, 60 HZ, 13A



230V Specifications:

HBH550-CE

HBH550-UK

HBH550-CCC

220-240V~, 50-60 HZ, 880W



RoHS COMPLIANT



Ship Weight: 13.9 lbs/6.3 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBH650

120V~, 60 HZ, 13A



230V Specifications:

HBH650-CE

HBH650-UK

HBH650-CCC

220-240V~, 50-60 HZ, 880W



RoHS COMPLIANT



Ship Weight: 19.8 lbs/9 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBH755

120V~, 60 HZ, 8.6A



230V Specifications:

HBH755-CE

HBH755-UK

HBH755-CN

220-240V~, 50-60 HZ, 1000W



RoHS COMPLIANT

With our high-performance blenders, it's easy to achieve optimum results every time you blend. From convenient timers with automatic shutoff to advanced one-touch cycles, they have everything you need for maximum blending control and efficiency. To reduce noise, consider one with a sound enclosure — it will provide amazing power, yet it won't interrupt conversations.

HBH850



Summit® Blender with Auto Blend

Auto Blend Technology – Continuously monitors blender's power & speed to determine when the perfect drink consistency is reached.

Quiet Shield™ Enclosure – Reduces noise.

Over 100 Pre-programmed Cycles – Can be assigned to 4 buttons; additional cycles can be loaded via USB.

Sensors – Equipped on shield (230V only) and jar pad (120V only) to extend life and ensure quiet operation.

Powerful 3 HP Motor – Features a rear airflow baffle design that helps prevent motor overheating and extends motor life.

64oz/1.8L Jar

HBH950



Quantum® Blender with Endura™ Motor

Endura™ Brushless Motor – Provides next-generation, high-performance blending and is engineered to last 10 times longer and operate 50% more efficiently than its peers.

One of the Quietest Blenders in the World – Quiet Shield™ sound enclosure and advanced Endura™ motor ensure a quiet ambiance.

Pre-loaded with 10 Languages – For ease of use by operators in a wide variety of countries.

One-Touch Blending Functions – Select from over 30 cycles; new ones can be downloaded via USB.

Best Motor Warranty in the Industry – 7 years parts and labor on motor.

64oz/1.8L Jar

ACCESSORIZE

BCR100 Container Rinser

Save time and conserve water. A gentle push on the platform rinses jars up to 64 oz. / 1.8 L.



6126-751 AirWhip Frothing Jar

Quickly creates perfect milk foam and emulsifies dressings and sauces



Ship Weight: 23.3 lbs/10.6 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBH850

120V~, 60 HZ, 13A



230V Specifications:

HBH850-CE

HBH850-UK

HBH850-CCC

220-240V~, 50-60 HZ, 880W



Ship Weight: 24.5 lbs/11.1 kg

Warranty: 7 years parts & labor on motor, 3 years parts & labor on rest of blender (lifetime on motor drive coupling and blade)

120V Specifications:

HBH950

120V~, 60 HZ, 10A



230V Specifications:

HBH950-CE

HBH950-UK

HBH950-CN

220-240V~, 50-60 HZ, 4.5A



Turn to page 21
for our complete
selection of High
Performance Blender
jars and accessories

* Input power

Beverage Automation

Taking automation to the next level

HBS1400/HBS1200



Revolution® Ice Shaver/Blender 5 gallon / 19L ice capacity

Revolution® Portion System – For maximum accuracy, the ice portioning system counts the number of times the agitator passes the shaver blade. Regardless of the motor load, the correct amount of ice comes out every time.

Double-Wall Hopper – Insulated for quiet operation and to keep ice cold.

Sensor Technology – Hopper sensor prevents operation when lid is not in place. Drain sensor indicates if water is backed up in the drain.

Powerful 3 Hp Motor – Heavy-duty and built to satisfy the demands of the busiest bars.

Automatic Cycle Buttons – Lets operators select serving size and number of servings for precise results.

64oz/1.8L Jar with Wave-Action® System – Provides optimal blend performance.



Ship Weight: 71 lbs/32.2 kg

Warranty: 2 years parts & labor
(lifetime on motor drive coupling and blade)

HBS1400

120V Specifications:

120V~, 60 HZ, 15A



HBS1200

230V Specifications:

HBS1200-CE

HBS1200-UK

HBS1200-CCC

220-240V~, 50-60 HZ, 1000W



COT2000



PrimePour® Cocktails on Tap

Speed – Pouring a cocktail in seconds means less wait time for customers and increased sales.

Ease of Use – A pull of the tap blends spirits perfectly with B.I.B. cocktail mixes to make high-quality drinks every time.

Portion and Quality Control – The exact calibration of mix and spirit offers a consistent taste profile.

Designer Tap Towers – Eye-catching single or double towers with convenient drip tray for a neat bartop.

Simple Installation – Platform slides onto bartop without tools and attaches to supply box underneath.

Automatic Pump Shutoff When Mix is Empty – Ensures that spirit is not wasted.

Slide-Out Bottle Tray – Holds three 1 liter (750ml) bottles and makes refilling easy.



DMC2000

Drink Mix Container

This 2.5 gallon / 9.5 liter plastic container with quick connect fitting and hose presents another option for using cocktail mixes with the PrimePour™ unit.



Ship Weight: 84 lbs/38 kg


Warranty: Option to purchase up to 4 years

CO2 Powered (No electricity required)



Whether you need a large batch of drinks or single servings by the cup, we have the beverage automation solution that's right for you. By removing the possibility of inconsistency, these automation options are able to achieve perfection with every serving. Not only will you serve delicious drinks day after day, you'll save valuable time and labor year after year.

BIC2000



SmartServe™

Blends in the cup


Simple, Clean Process – Just add ingredients to cup, insert cup in machine, and press start. It blends and stops automatically and the drink is ready to serve.

Saves Ingredients and Time – No more wasted in ingredients in blender jar and it eliminates the step of emptying, cleaning, and storing jars.

Saves Water – Rinses with as little as 10 oz./300ml of water. It reduces water usage by 8 times compared to manual cleaning.

Increases Productivity – Staff can perform other tasks while the machine blends.

MIC2000



SmartServe™

Self-serve or crew-serve convenience

Mixes Milk Shakes or Incorporates

Mix-Ins – Makes it easy for customers or crew members to mix treats.


Simple, Clean Process – Just add ingredients to cup, insert cup in machine, and press start. It mixes and stops automatically and the treat is ready to serve.

Can Add Water Automatically While Blending – Helps ingredients blend efficiently.

Saves Water – Rinses with as little as 10 oz./300ml of water. It reduces water usage by 8 times compared to manual cleaning.

Increases Productivity – Staff can perform other tasks while the machine blends.

BIC3000



SmartServe™

Mixes small to extra-large cups

Mixes Milk Shakes or Incorporates

Mix-Ins – Makes it easy for customers or crew members to mix treats.

Simple, Clean Process – Just add ingredients to cup, insert cup in machine, and press start. It blends and stops automatically and the drink is ready to serve.

Rotating Cup Holder – Automatically rotates cup as it mixes for evenly mixed treats.

Saves Water – Rinses with as little as 10 oz./300ml of water. It reduces water usage by 8 times compared to manual cleaning.

Increases Productivity – Staff can perform other tasks while the machine blends.



Ship Weight: 103 lbs/47 kg

Warranty: 1 year parts & labor

120V Specifications:

BIC2000

120V~, 60 HZ, 3A



230V Specifications:

BIC2000-CE

BIC2000-UK

220-240V~, 60 HZ, 2A

RoHS COMPLIANT



Ship Weight: 103 lbs/47 kg

Warranty: 1 year parts & labor

120V Specifications:

MIC2000

120V~, 60 HZ, 3A



230V Specifications:

MIC2000-CE

MIC2000-UK

220-240V~, 50-60 HZ, 2A

RoHS COMPLIANT



Ship Weight: 105 lbs/48 kg

Warranty: 1 year parts & labor

120V Specifications:

BIC3000

120V~, 60 HZ, 6.2A



Drink Mixers

Mixing perfect shakes since 1911

HMD200



Single Spindle

Mixes one shake

Versatile Drink and Food Prep – Great for everything from mixing shakes and “flashing” bar drinks to blending eggs and batters.

Excellent Mixing Performance – Powerful 1/3 Hp precision motor is balanced to minimize vibration and is built to last with sealed, permanently lubricated ball bearings. Operator can easily replace motor in minutes.

Two-Way Motor Activation – Operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer.

Easy to Clean – Smooth housing made of stainless steel and die-cast aluminum. Cup guide removes for cleaning.

Sealed Housing – Eliminates the risk of water ingress and motor failure.

HMD300



Wall Mount

Saves space

Saves Valuable Counter Space – Fully featured in convenient wall-mount design, and plugs into standard outlet.

Excellent Mixing Performance – Powerful 1/3 Hp precision motor is balanced to minimize vibration and is built to last with sealed, permanently lubricated ball bearings. Operator can easily replace motor in minutes.

Two-Way Motor Activation – Operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer (120V only).

Easy to Clean – Smooth housing made of stainless steel and die-cast aluminum.

Sealed Housing – Eliminates the risk of water ingress and motor failure.

HMD400



Triple Spindle

High-volume applications

Ideal for High Volume – All the features of the single spindle mixer with triple the volume.

Excellent Performance – Powerful 1/3 Hp motor for each spindle, each with its own controls.

Precision Motor – Balanced to minimize vibration and built to last with sealed, permanently lubricated ball bearings.

Two-Way Motor Activation – Operators can start and stop mixing action by inserting the cup into the cup guide, or by using the pulse switch on the top of the mixer.

Easy to Clean – Smooth housing made of stainless steel and die-cast aluminum. Cup guide removes for cleaning.

Sealed Housing – Eliminates the risk of water ingress and motor failure.



Ship Weight: 15.4 lbs / 7.0 kg
Warranty: 1 year parts & labor

120V Specifications:

HMD200
120V~, 60 HZ, 300W



230V Specifications:

HMD200P-CE
HMD200P-UK
HMD200P-CCC
220-240V~, 50-60 HZ, 300W



RoHS COMPLIANT



Ship Weight: 10.5 lbs / 4.8 kg
Warranty: 1 year parts & labor

120V Specifications:

HMD300
120V~, 60 HZ, 250W



230V Specifications:

HMD300-CE
HMD300-UK
220-240V~, 50-60 HZ, 250W



RoHS COMPLIANT



Ship Weight: 37.6 lbs / 17.1 kg
Warranty: 1 year parts & labor

120V Specifications:

HMD400
120V~, 60 HZ, 900W



230V Specifications:

HMD400P-CE
HMD400P-UK
HMD400-CCC
220-240V~, 50-60 HZ, 900W



RoHS COMPLIANT



We invented the first drink mixer over 100 years ago, and we're still going strong today with our wide selection of world-class mixing machines. From timeless drink mixers to heavy-duty mixing machines, you'll get all the mixing control and power you need, whether you're preparing creamy milk shakes with hard ice cream or soft-serve creations with candy mix-ins.

94950



HMD900



ACCESSORIZE

HMD300M Series Machine-Mount Drink Mixer

Specially designed to attach to soft-serve ice cream machines to add drink-making flexibility to your operation



Mix 'n Chill® Heavy-duty mixing

Dependability – Ice cream companies and restaurateurs worldwide consider Mix 'n Chill to be the ideal choice because of its dependable performance.

Variable Speed – Rotary dial for flexibility and for ease of use.

Powerful Mixing Performance – 3/4 Hp motor provides heavy-duty mixing action.

Heavy-Duty Metal Enclosure – Meets commercial demands and provides durability.

Easy Cleanup – Stainless steel pan removes easily without the use of tools and is dishwasher safe. Splash shield easily removes for cleaning.

Optional Foot Pedal – For 120V only.

Easy One-Hand Activation – To start the motor, simply place the filled cup under the mixing shaft and push.

Pre-programmed Cycles – Deliver consistent mixing results regardless of the operator.

Contoured Splash Shield – Reduces discomfort on the operator's wrist.

Powerful Mixing Performance – 3/4 Hp motor provides heavy-duty mixing action.

Heavy-Duty Metal Enclosure – Meets commercial demands and provides durability.

Easy Cleanup – Stainless steel pan removes easily without the use of tools and is dishwasher safe. Splash shield easily removes for cleaning.

* 230V version (not shown) meets IPX3 moisture protection with added hood

110E

Stainless Steel Cup

Holds 32 oz. (.95L) and is compatible with all drink mixers



928

Agitator

Compatible with all HBC drink mixers



929

Agitator

Compatible with all HBC drink mixers



Turn to page 20
for our complete
selection of Drink
Mixer accessories



Ship Weight: 37 lbs / 16.8 kg

Warranty: 1 year parts & labor

120V Specifications:
94950

120V~, 60 HZ, 5.2A



120V Ship Weight: 33.6 lbs / 15.2 kg
230V Ship Weight: 38.3 lbs / 17.4 kg

Warranty: 1 year parts & labor

120V Specifications:
HMD900

120V~, 60 HZ, 6.4A



230V Specifications:

HMD900-CE

HMD900-UK

HMD900-CN

220-240V~, 50-60 HZ, 7A

RoHS COMPLIANT



Expeditor™ Family of Culinary Blenders

Creating the perfect blend for chefs

HBF500



500 Series

48oz. / 1.4L Jar

Variable Speed & Pulse Functions –

Allow for easier blending, pureeing, grinding, chopping, and emulsifying.

Chop Function – Cycles between low speed and operator-selected high speed.

1 Hp Motor – Has the torque needed for chopping ingredients.

Patented Wave~Action® Jar – Keeps contents circulating through blades to ensure that contents are consistently incorporated.

All-Metal Drive Coupling – For durability.

Large Dosing Cup – Makes it easier to add liquid for emulsions while blending.

Stainless Steel Blades – Quickly cut through every ingredient.

HBF500S



64oz. / 1.8L Jar

Variable Speed & Pulse Functions –

Allow for blending, pureeing, grinding, chopping, and emulsifying.

Chop Function – Cycles between low speed and operator-selected high speed.

1 Hp Motor – Has the torque needed for chopping ingredients.

Stainless Steel Container – Provides durability and features a comfortable, easy-to-grip handle.

All-Metal Drive Coupling – For durability.

Large Dosing Cup – Makes it easier to add liquid for emulsions while blending.

Stainless Steel Blades – Quickly cut through every ingredient.

HBF600



600 Series

64oz. / 1.8L Jar

Variable Speed & Pulse Functions –

Allow for easier blending, pureeing, grinding, chopping, and emulsifying.

One-Touch Chop Function – Cycles between low speed and operator-selected high speed.

3 Hp Motor – Provides the torque needed for effectively blending ingredients.

Patented Wave~Action® Jar – Keeps contents circulating through blades to ensure that contents are consistently incorporated.

Large Dosing Cup – Makes it easier to add liquid for emulsions while blending.

Temperature Gauge – Alerts operator if motor overheats while blending back-to-back batches.



Ship Weight: 11.3 lbs / 5.1 kg

Warranty: 2 years parts & labor

120V Specifications:

HBF500

120V~, 60 HZ, 6A



230V Specifications:

HBF500-CE

HBF500-UK

HBF500-CCC

220-240V~, 50-60 HZ, 600W



Ship Weight: 12.5 lbs / 5.9 kg

Warranty: 2 years parts & labor

120V Specifications:

HBF500S

120V~, 60 HZ, 6.5A



230V Specifications:

HBF500S-CE

HBF500S-UK

HBF500S-CCC

220-240V~, 50-60 HZ, 600W



Ship Weight: 14 lbs / 6.4 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBF600

120V~, 60 HZ, 13A



230V Specifications:

HBF600-CE

HBF600-UK

HBF600-CCC

220-240V~, 50-60 HZ, 750W



Ordinary blenders can't compete with Expedito™ blenders when it comes to culinary output and precision. From blending soups and sauces to emulsifying marinades and dressings, these culinary blenders help talented chefs around the world express their artistic vision. Even better, their intelligent controls and large capacities maximize speed-to-table so you can uphold impeccable service.

HBF600S



64oz. / 1.8L Jar

Variable Speed & Pulse Functions –

Allow for easier blending, pureeing, grinding, chopping, and emulsifying.

One-Touch Chop Function – Cycles between low speed and operator-selected high speed.

3 Hp Motor – Provides the torque needed for effectively chopping ingredients.

Stainless Steel Container – Provides durability and features a comfortable, easy-to-grip handle.

Large Dosing Cup – Makes it easier to add liquid for emulsions while blending.

Temperature Gauge – Alerts operator if motor overheats while blending back-to-back batches.

HBF900S



900S Series

1 gallon / 4L container

Heavy-Duty Construction – Built for long-lasting performance in the world's busiest kitchens.

Saves Prep Time – With its powerful 3.5 HP motor and 1 gallon (4L) container, this blender is fully equipped to produce great results in a fraction of the time.

Low-Profile Design – Offers convenient access to container on any kitchen countertop. Also makes it easy to move the blender from one kitchen location to another.

Easy-to-Use Controls – 3 speeds plus pulse provide precision every time.

Lid Interlock – Ensures that the blender won't start until the jar and lid are securely in place.

Transparent Lid and Dosing Cup – Gives operators a clear view while blending.

HBF1100S



1100S Series

1 gallon / 4L container

Saves Prep Time – Powerful 3.5 HP motor and large container help you finish blending jobs faster.

Low-Profile Design – For convenient access to the container on any countertop.

Unique Chop Function – Provides improved blending performance.

Custom Program Buttons – Offer a large degree of custom blending and precision control.

Variable Speed Dial – Allows blending from a very low speed to a high speed that quickly creates a smooth puree.

Preset Timer Buttons – Gives operators more time to perform other kitchen tasks.

Lid Interlock – Ensures that the blender won't start until the jar and lid are securely in place.



Ship Weight: 14.21 lbs / 6.5 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBF600S
120V~, 60 HZ, 13A



230V Specifications:

HBF600S-CE
HBF600S-UK
HBF600S-CCC
220-240V~, 50-60 HZ, 750W



Ship Weight: 24.3 lbs/11 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBF900S
120V~, 60 HZ, 14A



Ship Weight: 24.3 lbs / 11 kg

Warranty: 3 years parts & labor (lifetime on motor drive coupling and blade)

120V Specifications:

HBF1100S
120V~, 60 HZ, 14A



230V Specifications:

HBF1100S-CE
HBF1100S-UK
HBF1100S-CN
220-240V~, 50-60 HZ, 1500W

