



Oracle

FAST & TASTY





Oracle

THE TASTE OF SPEED

When everything needs to be fast, you need an oven that does more to help cook delicious food.

Everything is faster with ORACLE, from installation to serving customers.

Creating, updating, and managing the menu, express service, staff training, cleaning and maintenance.

Power and speed for all cooking requirements - browning and toasting guarantees flavorful dishes every time, thanks to three heating methods.



IMPINGEMENT

Power up to 3000W guarantees excellent toasting and browning



CONVECTION

Temperature from 95°C to 270°C with adjustable fan speed



MICROWAVE

Power up to 2000W for rapid heating and reduced cooking times

Oracle

NO MORE WAITING ON YOUR PREMISES



Oracle is the ideal choice for a fast and dynamic catering service, with an ever-growing range of innovative options for premises with open-plan kitchens, offices with limited space, or small kitchens. Cooking, grilling, toasting, defrosting, and regenerating a wide range of fresh and frozen food, like sandwiches, pastries, pizzas, fish, vegetables and meat, in a short amount of time is now a reality.

Product type	Traditional cooking [min:sec]	ORACLE [min:sec]
Frozen Pizza Margherita	6:00	1:35
Gourmet sandwich	8:00	0:30
Salmon with ratatouille	12:00	2:00
Chicken with potato wedges	11:00	2:30
Grilled vegetables	10:00	2:20
Chocolate cake	10:00	1:00



Oracle

AMAZING RESULTS IN A CLICK

ORACLE is the ideal solution for anyone looking for a compact oven with big performance.
All you have to do is touch the icon of the dish you want and start the cooking process,
thanks to the touch screen interface and the numerous pre-configured recipes.



OCCUPIES MINIMAL SPACE, OPTIMAL COOKING CHAMBER
Fits on a 70 cm deep counter top and can hold pizza up to 30 cm in diameter.



PLUG & PLAY
ORACLE can be rapidly installed everywhere, even in open public areas.
With Plug & Play, just plug it in and start cooking immediately since you don't need an extraction hood.



CONFIGURABLE DISPLAY
In addition to its highly intuitive 7" touch screen display, ORACLE has a customisable image-based menu which eliminates language and vocabulary barriers.



CONNECTED
Standard WiFi, Ethernet and USB connections.



INSTANTLY CLEAN
Thanks to the standard supply non-stick lining in the oven and rapid cooling system,
ORACLE is quickly cleaned at the end of the day.



NO ADDED COST
You don't need any special cooking tools. You can use metal utensils.*

*Maximum height of metal dishes: 38 mm

Oracle

THE PRODUCT LINE



ORAC1



ORAC2

STANDARD ELECTRIC CONFIGURATION

Models	Power	Cooking chamber dimensions (L x D x Hmm)	Capacity (Litres)	Electrical power (kW)	Consumption (A)	Microwave (kW)	Impingement (kW)	External dimensions (L x D x Hmm)	Power supply voltage
ORAC1		312x312x178	17,2	3,68	16	1,00	3,00	358 x 743 x 578	1N AC 230V - 50 Hz
ORAC2		312x312x178	17,2	5,95	16	2,00	3,00	358 x 743 x 578	3N AC 400V - 50 Hz

OPTIONAL ELECTRIC CONFIGURATION - REQUEST WHEN ORDERING

Models	Power	Cooking chamber dimensions (L x D x Hmm)	Capacity (Litres)	Electrical power (kW)	Consumption (A)	Microwave (kW)	Impingement (kW)	External dimensions (L x D x Hmm)	Power supply voltage
ORAC1		312x312x178	17,2	3,60	18,2	1,00	3,00	358 x 743 x 578	1N AC 208V - 60 Hz 1N AC 240V - 60 Hz
ORAC1		312x312x178	17,2	2,45	13	1,00	3,00	358 x 743 x 578	1N AC 230V - 50 Hz 1N AC 240V - 50 Hz
ORAC1		312x312x178	17,2	3,25	15	1,00	3,00	358 x 743 x 578	1N AC 230V - 50 Hz 1N AC 240V - 50 Hz
ORAC2		312x312x178	17,2	5,95	28,6	2,00	3,00	358 x 743 x 578	1N AC 208V - 60 Hz 1N AC 240V - 60 Hz
ORAC2		312x312x178	17,2	5,95	28,6	2,00	3,00	358 x 743 x 578	1N AC 208V - 50 Hz 1N AC 240V - 50 Hz

FEATURES

COOKING METHODS

- Impingement with power up to 3 kW.
- Convection with temperature from 95°C to 270°C.
- Microwave with power up to 2 kW.
- Microwave defrost function.
- Manual up to 4 cycles.
- Programmable with the ability to store 1200 cooking programmes in automatic sequence (up to 4 cycles), assigning a name and dedicated icon.

OPERATION

- 7" fully customisable touch screen display.
- Automatic pre-heating.

CLEANING AND MAINTENANCE

- Approved detergents can be used directly on the smooth door surface.
- Removable, non-stick cooking chamber lining for easy cleaning.
- Magnetic air filters can be cleaned in one go.
- Rapid cooling for fast cleaning at end of day.

CONTROL MECHANISMS

- Silent function: the fan speed automatically adjusts based on the operating mode.
- Reminder to clean air filters.
- Standard supply Wi-Fi/Ethernet connection to update software and upload/download cooking programmes.
- Standard supply USB connection to update software and upload/download cooking programmes.

CONSTRUCTION

- External stainless steel finish.
- Front control panel in painted finish.
- Stainless steel oven chamber with bevelled edges.
- Built-in catalytic converter for hood-free use.
- Pull-down door with ergonomic handle.
- When open, the door slides under the cooking surface of the oven, allowing the food to be removed safely without the risk of burns.
- IPX3 protection against water splashes.



IPX 3



Oracle

ACCESSORIES



COOKING PLATE

Smooth (included) or ribbed (optional) for guaranteed perfect cooking, browning, toasting.



TEFLON TRAYS

Non-stick, smooth or ribbed trays perfect for browning and toasting food.



STONE PLATE

Handy for cooking and browning bread, pizzas, and flat breads.



ALUMINIUM PEEL

Handy for removing products from the oven chamber. Ideal for sandwiches and pizzas.



NON-STICK LINING KIT

For quick and easy cleaning.



DETERGENTS

Detergents and specific products for easy residue removal and protection of oven surfaces.



UPPER SHELF REST

Shelf with closed sides for storing accessories.



REAR COVER PANEL

Cover panel conceals power cable and air vents. Ideal for open view installations.



STAND

Stand with bottom shelf for one or two ORACLE ovens, with adjustable feet or on wheels.

EUROPE

LAINOX ITALY
LAINOX ALI Group S.r.l.
 Tel. +39 0438 9110
 lainox@lainox.it

LAINOX IBERIA
Frigicoll S.A.
 Tel. +34 93 480 33 22
 frigicoll@frigicoll.es

LAINOX FRANCE
 Tel. +33 (0) 6 62 28 56 30
 nicolas.jurvilliers@lainox.com

LAINOX UNITED KINGDOM
Falcon Foodservice Equipment
 Tel. +44 (7881) 500 340
 pbayer@falconfoodservice.com

LAINOX EIRE
 Tel. +353 83 4431438
 a.hughes@lainox.com

LAINOX DACH
 Tel. 00 800 02 09 20 17
 stefan.pechaigner@lainox.com

**LAINOX BENELUX/
 SCANDINAVIA**
 Tel. +31 616 621472
 alessandro.brusadin@lainox.com

LAINOX CZECH REPUBLIC
 Tel. +420 602 580 749
 robin.hayek@lainox.com

LAINOX SLOVAKIA
 Tel. +420 602 580 749
 robin.hayek@lainox.com

LAINOX HUNGARY
 Tel. +420 602 580 749
 robin.hayek@lainox.com

LAINOX POLAND
Hendi Polska Sp. z o.o.
 Tel. +48 607 321 037
 mariusz.nowak@grafen.com

LAINOX RUSSIA
 Tel. +7 9035990579
 elena.gribina@lainox.com

LAINOX GREECE
ALFA FROST S.A.
 Tel. +30 2105575430
 sales@alfafrost.gr

LAINOX TURKEY
**YUKSEL ENDUSTRIYEL URUNLER TURIZM
 YATIRIMLARI SAN. VE TIC.A.S.**
 Tel. +90 212 3614191
 pazarlama@portashelf.com.tr

AMERICA AND OCEANIA

LAINOX CANADA
Food Service Solutions INC.
 Tel. 1 800 668 8765
 info@MyFSS.ca

LAINOX USA
Ali group North America
 Tel. +1 (847) 215 6565
 usa@aligroup.com

LAINOX LATAM
 Tel. +51 997370550
 giancarlo.roig@lainox.com

LAINOX
AUSTRALIA - NEW ZELAND
Regethermic Australia
 Tel. +61 2 9966 9500
 info@regethermic.com.au

ASIA E AFRICA

LAINOX ME DUBAI
Ali Group Middle East & Africa
 Tel. +971 4510 8200
 middleeast@aligroup.com

LAINOX MALAYSIA
F&B EQUIPMENT SDN BHD
 Tel. 03-5882 0020 (ext: 9310)
 sales@fnbequipment.com.my

LAINOX PHILIPPINES
OLEO FATS INC.
 Tel. +632 7096536
 contactus@oleofats.com

LAINOX SINGAPORE
 Tel. 6016 3726 679
 alex.ng@lainox.com

LAINOX CHINA
**Ali Food Service Equipment
 (Shanghai) Co.,Ltd**
 Tel. +86 (21) 6285 5858 Ext 801
 info@aligroup.cn

LAINOX THAILAND
 Tel. +6018 2197 844
 ray.lau@lainox.com

LAINOX VIETNAM
 Tel. +6018 2197 844
 ray.lau@lainox.com

LAINOX HONG KONG
 Tel. 6016 3726 679
 alex.ng@lainox.com

LAINOX TAIWAN
**UNITECH FOODSERVICE
 EQUIPMENT CORP.**
 Tel. +886 2 27922788 ext. 220
 unitech8@unitech-e.com.tw

LAINOX SOUTH AFRICA
Vulcan
Catering Equipment (Pty) Ltd
 Tel. +27 11 2498500
 vulcan@vulcan.co.za

For a free trial in your own kitchen, contact us
 tel. +39 0438 9110 · lainox@lainox.com

LAINOX®

LAINOX ALI Group S.r.l.
 Via Schiaparelli 15
 Z.I. S. Giacomo di Veglia
 31029 Vittorio Veneto (TV) - Italy

Tel +39 0438 9110
 Fax +39 0438 912300
 lainox@lainox.com
 www.lainox.com



an Ali Group Company



The Spirit of Excellence