

ENTER THE FOREST
OF COOLING EXCELLENCE



TEFCOLD® 

WHAT SOLUTION FITS YOUR BULK STORAGE NEEDS?



1 STANDARD PLUG-IN SOLUTION

Assemble and you are
ready to go

See pages 4-17



2 SEMI-STANDARD SOLUTION

Choose panels and monoblock separately

See pages 18-31



3 TAILORED SOLUTION

Design the room to fit your exact needs

See pages 32-37

1 STANDARD PLUG-IN SOLUTION

Assemble and you are ready to go

Our **CRPF cold rooms** and **CRNF freezer rooms** are the perfect fit for you, if you are looking for simple and effective chilled bulk storage. Here you get a complete solution with modular panels and a monoblock refrigeration unit that fits the size of the room. The only thing you need to do is assemble the room and plug it in - no expert skills required.

Choose between a wide array of sizes and add an optional shelf rack system to optimize the space.



CRPF / CRPN standard plug-in

EASY ASSEMBLY

Our cold rooms and freezer rooms are quick and easy to assemble. They are built from insulated interlocking panels with a cam-lock system. On some models it is possible to move the position of the door as well as the monoblock - just swap placement with another panel of the same size.

No matter which room size you choose, the refrigeration unit comes as a separate unit to optimize transport. It is attached to a panel for easy installation.



Example of separate refrigeration unit

1



2



3



4



5



6




7



8



9




10



11



12



13



14



VIDEO GUIDE




COLD ROOMS

- Temperature range: 0 to +8 °C
- 80 mm panel insulation
- Plug-in, meaning it is ready to use after assembly
- Interlocking panel system for easy assembly (tools are included)
- Eco-friendly refrigerant R290
- Anti-slip floor in SS304 stainless steel
- For indoor use only
- Standard door width is 700 mm, but we also offer models with 850 mm door width (see models with WD in model name)




Including standard cooling unit


COLD ROOMS




Model	CRPF1212
Item No.	44162
Capacity	2,2 m ³
Shelf Kit	46196




Model	CRPF1215
Item No.	44163
Capacity	2,84 m ³
Shelf Kit	46196




Model	CRPF1218
Item No.	44164
Capacity	3,48 m ³
Shelf Kit	46197




Model	CRPF1221
Item No.	44165
Capacity	4,1 m ³
Shelf Kit	46198




Model	CRPF1224
Item No.	44166
Capacity	4,75 m ³
Shelf Kit	46199




Model	CRPF1227
Item No.	44167
Capacity	5,39 m ³
Shelf Kit	46200



Model	CRPF1230
Item No.	44168
Capacity	6,03 m ³
Shelf Kit	46201




Model	CRPF1515
Item No.	44169
Capacity	3,66 m ³
Shelf Kit	45707




Model	CRPF1518
Item No.	44170
Capacity	4,48 m ³
Shelf Kit	45865


COLD ROOMS




Model	CRPF1521
Item No.	44171
Capacity	5,3 m ³
Shelf Kit	45709




Model	CRPF1524
Item No.	44172
Capacity	6,12 m ³
Shelf Kit	45866




Model	CRPF1527
Item No.	44173
Capacity	6,94 m ³
Shelf Kit	46202




Model	CRPF1530
Item No.	44174
Capacity	7,76 m ³
Shelf Kit	46203




Model	CRPF1815
Item No.	44394
Capacity	4,48 m ³
Shelf Kit	45713




Model	CRPF1818
Item No.	44175
Capacity	5,49 m ³
Shelf Kit	45867



Model	CRPF1821
Item No.	44176
Capacity	6,49 m ³
Shelf Kit	46204




Model	CRPF1824
Item No.	44177
Capacity	7,49 m ³
Shelf Kit	46206




Model	CRPF1827
Item No.	44178
Capacity	8,5 m ³
Shelf Kit	46212


COLD ROOMS




Model	CRPF1830
Item No.	44179
Capacity	12,34 m ³
Shelf Kit	46213




Model	CRPF2121
Item No.	44180
Capacity	7,68 m ³
Shelf Kit	45716




Model	CRPF2124
Item No.	44181
Capacity	8,87 m ³
Shelf Kit	46214




Model	CRPF2127
Item No.	44182
Capacity	10,05 m ³
Shelf Kit	45720




Model	CRPF2130
Item No.	44183
Capacity	11,24 m ³
Shelf Kit	45724




Model	CRPF2424
Item No.	44184
Capacity	10,24 m ³
Shelf Kit	45869



Model	CRPF2427
Item No.	44185
Capacity	11,6 m ³
Shelf Kit	46215




Model	CRPF2430
Item No.	44186
Capacity	12,98 m ³
Shelf Kit	45512




Model	CRPF2727
Item No.	44187
Capacity	13,16 m ³
Shelf Kit	45726


COLD ROOMS




Model	CRPF2730
Item No.	44188
Capacity	14,72 m ³
Shelf Kit	46216




Model	CRPF3030
Item No.	44189
Capacity	16,45 m ³
Shelf Kit	46217



Model	CRPF2130WD
Item No.	51056
Capacity	11,24 m ³
Shelf Kit	45724



Model	CRPF2427WD
Item No.	51057
Capacity	11,6 m ³
Shelf Kit	46215



Model	CRPF3030WD
Item No.	49686
Capacity	16,45 m ³
Shelf Kit	46217




FREEZER ROOMS


- Temperature range: -20 to 0 °C
- 120 mm panel insulation
- Plug-in, meaning it is ready to use after assembly
- Interlocking panel system for easy assembly (tools are included)
- Eco-friendly refrigerant R290
- Anti-slip floor in SS304 stainless steel
- Strip curtain included
- For indoor use only
- Standard door width is 700 mm, but we also offer models with 850 mm door width (see models with WD in model name)




FREEZER ROOMS




Model	CRNF1212
Item No.	44218
Capacity	1,81 m ³
Shelf Kit	46218




Model	CRNF1215
Item No.	44219
Capacity	2,37 m ³
Shelf Kit	46218




Model	CRNF1218
Item No.	44220
Capacity	2,94 m ³
Shelf Kit	46219




Model	CRNF1221
Item No.	44221
Capacity	3,5 m ³
Shelf Kit	46220




Model	CRNF1224
Item No.	44222
Capacity	4,06 m ³
Shelf Kit	46221




Model	CRNF1227
Item No.	44223
Capacity	4,63 m ³
Shelf Kit	46222



Model	CRNF1230
Item No.	44224
Capacity	5,19 m ³
Shelf Kit	46223




Model	CRNF1515
Item No.	44225
Capacity	3,11 m ³
Shelf Kit	45708




Model	CRNF1518
Item No.	44226
Capacity	3,85 m ³
Shelf Kit	45511


FREEZER ROOMS




Model	CRNF1521
Item No.	44227
Capacity	4,59 m ³
Shelf Kit	45710




Model	CRNF1524
Item No.	44228
Capacity	5,33 m ³
Shelf Kit	45522




Model	CRNF1527
Item No.	44229
Capacity	6,08 m ³
Shelf Kit	46224




Model	CRNF1530
Item No.	44230
Capacity	6,82 m ³
Shelf Kit	46225




Model	CRNF1815
Item No.	44396
Capacity	3,85 m ³
Shelf Kit	45712




Model	CRNF1818
Item No.	44231
Capacity	4,77 m ³
Shelf Kit	45523



Model	CRNF1821
Item No.	44232
Capacity	5,69 m ³
Shelf Kit	46226




Model	CRNF1824
Item No.	44233
Capacity	6,6 m ³
Shelf Kit	46227




Model	CRNF1827
Item No.	44234
Capacity	7,52 m ³
Shelf Kit	46228


FREEZER ROOMS




Model	CRNF1830
Item No.	44235
Capacity	8,44 m³
Shelf Kit	46229




Model	CRNF2121
Item No.	44236
Capacity	6,78 m³
Shelf Kit	45715




Model	CRNF2124
Item No.	44237
Capacity	7,87 m³
Shelf Kit	46230




Model	CRNF2127
Item No.	44238
Capacity	8,97 m³
Shelf Kit	45719




Model	CRNF2130
Item No.	44239
Capacity	10,06 m³
Shelf Kit	45721




Model	CRNF2424
Item No.	44240
Capacity	9,14 m³
Shelf Kit	45864



Model	CRNF2427
Item No.	44241
Capacity	10,41 m³
Shelf Kit	46231




Model	CRNF2430
Item No.	44242
Capacity	11,68 m³
Shelf Kit	45722




Model	CRNF2727
Item No.	44243
Capacity	11,86 m³
Shelf Kit	45723


FREEZER ROOMS




Model	CRNF2730
Item No.	44244
Capacity	13,31 m ³
Shelf Kit	46232




Model	CRNF3030
Item No.	44245
Capacity	14,93 m ³
Shelf Kit	46233



Model	CRNF2130WD
Item No.	51058
Capacity	10,06 m ³
Shelf Kit	45721



Model	CRNF2427WD
Item No.	51059
Capacity	10,41 m ³
Shelf Kit	46231



Model	CRNF3030WD
Item No.	49688
Capacity	14,93 m ³
Shelf Kit	46233

SHELF RACK SYSTEM KITS

- Highest hygienic standards
- Dishwasher safe up to +90 °C
- Shelves consists of several removable pieces for easy cleaning
- Max load of shelves: 90kg per shelf, max. 450kg per 2 racks
- See cold rooms and freezer rooms for the optimal shelf rack system kit for each model



Item No.	Accessories
47840	Wheel for shelf rack system kits - with brake
47841	Wheel for shelf rack system kits - no brake
13680	Alarm kit
53907	Ramp for cold rooms (80 mm panels)
53908	Ramp for freezer rooms (120 mm panels)





CR SEMI-STANDARD SOLUTION

Choose panels and monoblock separately


The semi-standard solution is for you, who wants the simplicity of a fixed size panel room but with the added flexibility of choosing a monoblock on your own. This is for instance relevant if you would like a cold room with 120 mm panels instead of the standard 80 mm panels. Choose the room size you would like and combine it with a CRU or WRA monoblock cooling unit. Add an optional shelf rack system to optimize the space.

PANEL ROOMS


- Choose between 80 mm or 120 mm panel insulation
- Interlocking panel system for easy assembly (tools are included)
- Anti-slip floor in SS304 stainless steel
- For the 80 mm panels, it is possible to choose rooms with no floor (see models with NF in the model name)
- For indoor use only




80 MM PANELS




Including floor	
Item No.	43975
Model	CR 120x120x220
Excluding floor	
Item No.	43976
Model	CR 120x120x212 NF
Capacity	2,20 m ³
Shelf kit	46196




Including floor	
Item No.	43977
Model	CR 120x150x220
Excluding floor	
Item No.	43978
Model	CR 120x150x212 NF
Capacity	2,84 m ³
Shelf kit	46196




Including floor	
Item No.	44033
Model	CR 120x180x220
Excluding floor	
Item No.	44034
Model	CR 120x180x212 NF
Capacity	3,48 m ³
Shelf kit	46197



Including floor	
Item No.	44035
Model	CR 120x210x220
Excluding floor	
Item No.	44036
Model	CR 120x210x212 NF
Capacity	4,10 m ³
Shelf kit	46198




Including floor	
Item No.	44037
Model	CR 120x240x220
Excluding floor	
Item No.	44038
Model	CR 120x240x212 NF
Capacity	4,75 m ³
Shelf kit	46199



Including floor	
Item No.	44039
Model	CR 120x270x220
Excluding floor	
Item No.	44040
Model	CR 120x270x212 NF
Capacity	5,39 m ³
Shelf kit	46200

80 MM PANELS




Including floor

Item No.	44041
Model	CR 120x300x220

Excluding floor

Item No.	44042
Model	CR 120x300x212 NF
Capacity	6,03 m ³
Shelf kit	46201




Including floor

Item No.	43875
Model	CR 150x150x220

Excluding floor

Item No.	44060
Model	CR 150x150x212 NF
Capacity	3,66 m ³
Shelf kit	45707




Including floor

Item No.	44061
Model	CR 150x180x220

Excluding floor

Item No.	44063
Model	CR 150x180x212 NF
Capacity	4,48 m ³
Shelf kit	45865




Including floor

Item No.	41837
Model	CR 150x210x220

Excluding floor

Item No.	44064
Model	CR 150x210x212 NF
Capacity	5,30 m ³
Shelf kit	45709




Including floor

Item No.	44066
Model	CR 150x240x220

Excluding floor

Item No.	44067
Model	CR 150x240x212 NF
Capacity	6,12 m ³
Shelf kit	45866




Including floor

Item No.	44068
Model	150x270x220

Excluding floor

Item No.	44069
Model	CR 150x270x212 NF
Capacity	6,94 m ³
Shelf kit	46202

80 MM PANELS




Including the floor

Item No.	44070
Model	CR 150x300x220

Excluding the floor

Item No.	44071
Model	CR 150x300x212 NF
Capacity	7,76 m ³
Shelf kit	46203




Including the floor

Item No.	44360
Model	CR 180x150x220

Excluding the floor

Item No.	44361
Model	CR 180x150x212 NF
Capacity	4,48 m ³
Shelf kit	45713




Including the floor

Item No.	44072
Model	CR 180x180x220

Excluding the floor

Item No.	44073
Model	CR 180x180x212 NF
Capacity	5,49 m ³
Shelf kit	45867




Including the floor

Item No.	44074
Model	CR 180x210x220

Excluding the floor

Item No.	44075
Model	CR 180x210x212 NF
Capacity	6,49 m ³
Shelf kit	46204




Including the floor

Item No.	44076
Model	CR 180x240x220

Excluding the floor

Item No.	44077
Model	CR 180x240x212 NF
Capacity	7,49 m ³
Shelf kit	46206




Including the floor

Item No.	44078
Model	CR 180x270x220

Excluding the floor

Item No.	44079
Model	CR 180x270x212 NF
Capacity	8,50 m ³
Shelf kit	46212

80 MM PANELS




Including floor

Item No.	44080
Model	CR 180x300x220

Excluding the floor

Item No.	44081
Model	CR 180x300x212 NF
Capacity	12,34 m ³
Shelf kit	46213




Including floor

Item No.	41838
Model	CR 210x210x220

Excluding the floor

Item No.	44082
Model	CR 210x210x212 NF
Capacity	7,68 m ³
Shelf kit	45716




Including floor

Item No.	44083
Model	CR 210x240x220

Excluding the floor

Item No.	44084
Model	CR 210x240x212 NF
Capacity	8,87 m ³
Shelf kit	46214




Including floor

Item No.	41839
Model	CR 210x270x220

Excluding the floor

Item No.	44085
Model	CR 210x270x212 NF
Capacity	10,05 m ³
Shelf kit	45720




Including floor

Item No.	43876
Model	CR 210x300x220

Excluding the floor

Item No.	44086
Model	CR 210x300x212 NF
Capacity	11,24 m ³
Shelf kit	45724




Including floor

Item No.	44087
Model	CR 240x240x220

Excluding the floor

Item No.	44088
Model	CR 240x240x212 NF
Capacity	10,24 m ³
Shelf kit	45869

80 MM PANELS




Including floor

Item No.	44089
Model	CR 240x270x220

Excluding the floor

Item No.	44090
Model	CR 240x270x212 NF
Capacity	11,60 m ³
Shelf kit	46215




Including floor

Item No.	44091
Model	CR 240x300x220

Excluding the floor

Item No.	44092
Model	CR 240x300x212 NF
Capacity	12,98 m ³
Shelf kit	45512




Including floor

Item No.	44093
Model	CR 270x270x220

Excluding the floor

Item No.	44094
Model	CR 270x270x212 NF
Capacity	13,16 m ³
Shelf kit	45726




Including floor

Item No.	44095
Model	CR 270x300x220

Excluding the floor

Item No.	44096
Model	CR 270x300x212 NF
Capacity	14,72 m ³
Shelf kit	46216




Including floor

Item No.	44097
Model	CR 300x300x220

Excluding the floor


Item No.	44098
Model	CR 300x300x212 NF
Capacity	16,45 m ³
Shelf kit	46217

80 MM PANELS




Model	CR 210x300x220 WD
Item No.	51052
Capacity	11,24 m ³
Shelf Kit	45724

(Including floor)



Model	CR 240x270x220 WD
Item No.	51053
Capacity	11,60 m ³
Shelf Kit	46215

(Including floor)




Model	CR 300x300x220 WD
Item No.	49685
Capacity	16,45 m ³
Shelf Kit	46217


(Including floor)




120 MM PANELS




Model	CR 120x120x220
Item No.	44134
Capacity	1,81 m ³
Shelf Kit	46218




Model	CR 120x150x220
Item No.	44135
Capacity	2,37 m ³
Shelf Kit	46218




Model	CR 120x180x220
Item No.	44136
Capacity	2,94 m ³
Shelf Kit	46219




Model	CR 120x210x220
Item No.	44137
Capacity	3,5 m ³
Shelf Kit	46220




Model	CR 120x240x220
Item No.	44138
Capacity	4,06 m ³
Shelf Kit	46221




Model	CR 120x270x220
Item No.	44139
Capacity	4,63 m ³
Shelf Kit	46222



Model	CR 120x300x220
Item No.	44140
Capacity	5,19 m ³
Shelf Kit	46223




Model	CR 150x150x220
Item No.	44141
Capacity	3,11 m ³
Shelf Kit	45708




Model	CR 150x180x220
Item No.	44142
Capacity	3,85 m ³
Shelf Kit	45511


120 MM PANELS




Model	CR 150x210x220
Item No.	44143
Capacity	4,59 m³
Shelf Kit	45710




Model	CR 150x240x220
Item No.	44144
Capacity	5,33 m³
Shelf Kit	45522




Model	CR 150x270x220
Item No.	44145
Capacity	6,08 m³
Shelf Kit	46224




Model	CR 150x300x220
Item No.	44146
Capacity	6,82 m³
Shelf Kit	46225




Model	CR 180x150x220
Item No.	44363
Capacity	3,85 m³
Shelf Kit	45712




Model	CR 180x180x220
Item No.	44147
Capacity	4,77 m³
Shelf Kit	45523



Model	CR 180x210x220
Item No.	44148
Capacity	5,69 m³
Shelf Kit	46226




Model	CR 180x240x220
Item No.	44149
Capacity	6,6 m³
Shelf Kit	46227




Model	CR 180x270x220
Item No.	44150
Capacity	7,52 m³
Shelf Kit	46228


120 MM PANELS




Model	CR 180x300x220
Item No.	44151
Capacity	8,44 m ³
Shelf Kit	46229




Model	CR 210x210x220
Item No.	44152
Capacity	6,78 m ³
Shelf Kit	45715




Model	CR 210x240x220
Item No.	44153
Capacity	7,87 m ³
Shelf Kit	46230




Model	CR 210x270x220
Item No.	44154
Capacity	8,97 m ³
Shelf Kit	45719




Model	CR 210x300x220
Item No.	44155
Capacity	10,06 m ³
Shelf Kit	45721




Model	CR 240x240x220
Item No.	44156
Capacity	9,14 m ³
Shelf Kit	45864



Model	CR 240x270x220
Item No.	44157
Capacity	10,41 m ³
Shelf Kit	46231




Model	CR 240x300x220
Item No.	44158
Capacity	11,68 m ³
Shelf Kit	45722




Model	CR 270x270x220
Item No.	44159
Capacity	11,86 m ³
Shelf Kit	45723


120 MM PANELS




Model	CR 270x300x220
Item No.	44160
Capacity	13,31 m ³
Shelf Kit	46232




Model	CR 300x300x220
Item No.	44161
Capacity	14,93 m ³
Shelf Kit	46233



Model	CR 210x300x220 WD
Item No.	51054
Capacity	10,06 m ³
Shelf Kit	45721



Model	CR 240x270x220 WD
Item No.	51055
Capacity	10,41 m ³
Shelf Kit	46231



Model	CR 300x300x220 WD
Item No.	49687
Capacity	14,93 m ³
Shelf Kit	46233



CRU Monoblocks

The CRU monoblocks are created to fit perfectly with our panel rooms. You can choose models which are already pre-mounted on a panel for easy installation (80 mm panel for cooling units, 120 mm for freezing units). You can also choose models without a panel attached, which is better if you are matching a 120 mm panel set with a cooling unit.

KEY PRODUCT FEATURES

- Automatic condensate evaporation
- Ambient temperature up to +43 °C and 65% humidity
- Digital controller and temperature display
- Stainless steel finish
- For indoor use only

Model	Item no.	Temperature range	Capacity
CRU3050P	43936	-2 °C to +8 °C	3-5 m ³
CRU5175P	43937	-2 °C to +8 °C	5,1-7,5 m ³
CRU7610P	43938	-2 °C to +8 °C	7,6-10 m ³
CRU7610P for CRPF1530	51471	-2 °C to +8 °C	7,6-10 m ³
CRU1015P	43939	-2 °C to +8 °C	10,1-15 m ³
CRU1520P	43940	-2 °C to +8 °C	15,1-20 m ³
CRU3050P w/o Panel	49655	-2 °C to +8 °C	3-5 m ³
CRU5175P w/o Panel	49656	-2 °C to +8 °C	5,1-7,5 m ³
CRU7610P w/o Panel	49657	-2 °C to +8 °C	7,6-10 m ³
CRU1015P w/o Panel	49658	-2 °C to +8 °C	10,1-15 m ³
CRU1520P w/o Panel	49659	-2 °C to +8 °C	15,1-20 m ³

Cooling units
with panel

Cooling units
without panel

CRU3050N	43941	-10 °C to -20 °C	3-5 m ³
CRU5175N	43942	-10 °C to -20 °C	5,1-7,5 m ³
CRU7610N	43943	-10 °C to -20 °C	7,6-10 m ³
CRU1015N	43944	-10 °C to -20 °C	10,1-15 m ³
CRU1520N	43945	-10 °C to -20 °C	15,1-20 m ³
CRU3050N w/o Panel	49660	-10 °C to -20 °C	3-5 m ³
CRU5175N w/o Panel	49661	-10 °C to -20 °C	5,1-7,5 m ³
CRU7610N w/o Panel	49662	-10 °C to -20 °C	7,6-10 m ³
CRU1015N w/o Panel	49663	-10 °C to -20 °C	10,1-15 m ³
CRU1520N w/o Panel	49664	-10 °C to -20 °C	15,1-20 m ³

Freezer units
with panel

Freezer units
without panel

WRA Monoblocks

The WRA monoblocks deliver exceptional refrigeration performance for cold rooms and freezer rooms. They are not designed for our panel rooms specifically, so here you get more options for larger room sizes.

KEY PRODUCT FEATURES

- Suitable for panels with a thickness of up to 200 mm
- Designed for saddle mounting
- Multiple units can be serial connected for larger rooms
- Digital controller and temperature display
- Ventilated cooling
- For indoor use only




Ambient		25 °C				32 °C				43 °C			
Setpoint		-5 °C	0 °C	5 °C	15 °C	-5 °C	0 °C	5 °C	15 °C	-5 °C	0 °C	5 °C	15 °C
68296	WRA-M5-1	4,7	7,3	11,7	36,9	3,3	5	7,8	24,6	1,8	2,6	4	6,1
68298	WRA-M8-1	7,8	11,7	19,6	54,4	5,6	8,3	12,8	38	3,2	4,6	6,7	9,9
68300	WRA-M12-1	11,1	17,9	27,9	75,3	8,1	11,9	20,1	54,4	4,7	6,7	9,7	16,5
68302	WRA-M18-1	16,4	25,1	38,5	101	11,2	18,4	28,3	74,4	6,5	9,3	14,7	24
68304	WRA-M24-1	21,6	32,2	48,8	124	15,6	23,9	36,2	93,2	8,4	12,2	20,7	32,1
68306	WRA-M32-1	28,1	41,6	62,7	159	21,5	31,9	47,9	121	11,4	18,9	28,5	43,5
68308	WRA-M42-1	36,3	53,5	80,3	203	28,1	41,5	62,2	156	16,8	25,3	37,9	58
68310	WRA-M46-1	39,8	58,4	86,8	216	31	45,6	67,7	168	19	28,1	41,7	63,3
68312	WRA-M55-1	48,4	70,1	103	251	38	55	80,9	196	23,7	34,8	51,6	77,6

* All values are in m³.

Ambient		25 °C				32 °C				43 °C			
Setpoint		-25 °C	-20 °C	-15 °C	-10 °C	-25 °C	-20 °C	-15 °C	-10 °C	-25 °C	-20 °C	-15 °C	-10 °C
68314	WRA-L8-1	4,6	7,1	10,9	20,1	3,3	4,9	7,5	11,5	1,8	2,8	4,1	6,1
68316	WRA-L11-1	6,8	10,5	18,6	31,4	4,9	7,5	11,3	20,6	2,8	4,2	6,3	9,2
68318	WRA-L15-1	8,3	13,3	23,4	39,3	6	9,1	15,2	25,9	3,4	5,1	7,6	11,1
68320	WRA-L18-1	9,7	16,5	27	44,7	7	10,4	18,2	29,6	4	5,9	8,6	13,2
68322	WRA-L29-1	15,5	25,7	41,7	69,2	10,3	18,2	29,4	48,1	6,1	9,1	14,9	25,1
68324	WRA-L47-1	25,7	40,8	64,9	106	18,6	29,6	46,8	74,8	9,3	15,8	25,8	40,6
68326	WRA-L54-1	30,4	47,3	73,9	118	22	34,4	53,5	84,4	11	19,3	29,9	46,4

* All values are in m³.



TAILORED SOLUTION

Design the room to fit your exact needs

Do you have an odd shaped space or perhaps specific requirements for windows, walls between different sections, or reinforced floors? Then our customized cold rooms are the way to go! In just six steps, you can design your ideal cold room, while maintaining the ease and speed of assembly.

CONTACT US


We're here to help! Reach out to us and we will help you design the ideal cold room for your space and requirements.



STEP 1

Choose the dimensions of the room


With our customized cold rooms you can build the cold room to fit your space, shaping it with panels starting from 40 cm with a modularity of 20 cm.



STEP 2

Choose panel thickness and finish

- Panel thickness: 60mm, 100mm, 130mm as standard
- 120µm plastic coated and galvanized steel sheet panels with special antibacterial treatment
- Easy to install panel assembly with twin-hook Fasteners and FAST-FIT centering systems
- Stainless steel finishing internal/external as option



STEP 3

Choose floor type

- Walk-in floor PED
- Standard roll-in floor P400
- Roll-in stratified floor P1000 ST
- Roll-in reinforced floor P1000 IX



PED Walk-in floor

Max static load on floor: 1500 kg/m²

Max precise load: 100 kg



P400 Roll-in floor

Max load on floor: 4000 kg/m²

Max dynamic load: 400 kg

Max precise load: 140 kg




P1000 ST Roll-in stratified floor

Max load on floor: 4000 Kg/m²

Max dynamic load: 1000 kg

Max precise load: 600 kg



P1000 IX Roll-in reinforced floor

Max load on floor: 5000 kg/m²


Max dynamic load: 1100 kg

Max precise load: 250 kg

STEP 4

Choose doors and windows

- Hinged doors
- Sliding doors
- Swing doors
- Glass doors
- Windows with aluminium frames



STEP 5

Choose a monoblock

Combine with one of the TEFCOLD monoblock ranges.

- CRU monoblocks without a panel attached
- WRA monoblocks



STEP 6

Choose accessories

- Shelves
- Light
- Hooks and hanging bars
- Connecting box kit for doors
- Compensation valve
- Selfclosing device
- Strip curtain
- Entrance ramp

COMMERCIAL COOLING MADE EASY

Looking for a trusted partner in commercial cooling?

You're in the right place. With TEFCOLD, you get products you can count on at attractive prices, delivered where and when you need them. Our committed team is here to help every step of the way – from choosing the best-suited solution to giving you access to our online universe, where you can see prices, stock levels, and place orders for standard cooling solutions when it suits you. From first contact through delivery and beyond, we make the experience smooth, so you can focus on your business and what you do best.



"Global Reach, Local Touch"

THERE IS MORE

Visit www.tefcold.com to see more details
about our different cold room solutions.

And remember - We are only a phone call away

+45 8660 1933



TEFCOLD A/S

Industrivej 25
8800 Viborg
Denmark

T: +45 8660 1933
E: sales@tefcold.com
tefcold.com

TEFCOLD UK Ltd

West Meadow Rise
Castle Donington
Derby | DE74 2HL | UK

T: +44 (0) 1332 850090
E: sales@tefcold.co.uk
tefcold.co.uk

TEFCOLD NL BV

Elementweg 7
4706 NN Roosendaal
Netherlands

T: +32 (0) 11 / 782 698
E: sales@tefcold.nl
tefcold.nl

TEFCOLD FR

3, 5 rue Saint Georges
75009 Paris
France

T: +33 4 76 65 00 92
E: info@tefcold.fr
tefcold.fr

TEFCOLD BE

Lichtenberglaan 1023
3800 Sint-Truiden
Belgium

T: +32 (0) 11 / 782 698
E: receptie@tefcold.be
tefcold.be

TEFCOLD CZ s.r.o.

Logistics area P3 Ostrava Central,
hall L1, Vítkovice 3046, 703 00 Ostrava
Czech Republic

T: +420 593 033 028
E: vo@tefcold.com
tefcold.cz

TEFCOLD SK s.r.o.

Vlčie hrdlo 50
821 07 Bratislava
Slovakia

T: +421 911 770 462
E: elektro@tefcold.com
tefcold.sk

TEFCOLD Iberia

Fluvià, 65
08019 Barcelona
Spain

T: +34 935 245 074
E: comercial@tefcold.es
tefcold.es

TEFCOLD DE GmbH

Nickelweg 5
48282 Emsdetten
Germany

T: +49 (0)2572-9554-0
E: info@tefcold.de
tefcold.de