

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Single lever Mixer Tap 1/2"						
	201-101/200-200	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	200	200
	201-101/200-250	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	200	250
	201-101/250-200	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	250	200
	201-101/250-250	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	250	250
	201-101/300-200	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	300	200
	201-101/300-250	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	300	250
	201-101/350-200	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	350	200
	201-101/350-250	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	350	250
	201-111/200-110	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	200	110
	201-111/250-110	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	250	110
	201-111/300-110	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	300	110
	201-111/350-110	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	350	110
	201-111/400-110	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	400	110
	201-111/450-110	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	450	110
Single lever Mixer Tap 1/2" on column 100mm						
	201-101/200-300/02	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	200	300
	201-101/200-350	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	200	350
	201-101/250-300/02	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	250	300
	201-101/250-350	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	250	350
	201-101/300-300/02	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	300	300
	201-101/300-350	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	300	350
	201-101/350-300	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	350	300
	201-101/350-350	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	350	350
	201-111/200-210	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	200	210
	201-111/250-210	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	250	210
	201-111/300-210	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	300	210
	201-111/350-210	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	350	210
	201-111/400-210	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	400	210

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Single lever Mixer Tap 1/2" on column 300 mm						
	201-101/200-400	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	200	400
	201-101/200-500	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	200	500
	201-101/250-400	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	250	400
	201-101/250-500	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	250	500
	201-101/300-400	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	300	400
	201-101/300-500	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	300	500
	201-101/350-400	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	350	400
	201-101/350-500	6460.90/A+H	Single lever Mixer Tap 1/2" with spout	23 l/min	350	500
	201-111/200-310	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	200	310
	201-111/250-310	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	250	310
	201-111/300-310	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	300	310
	201-111/350-310	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	350	310
	201-111/400-310	-	Single lever Mixer Tap 1/2" with flat spout	23 l/min	400	310
	201-111/200+200-380	-	Single lever Mixer Tap 1/2" with double swivel spout	23 l/min	200 + 200	380
	201-111/300+200-380	-	Single lever Mixer Tap 1/2" with double swivel spout	23 l/min	300 + 200	380
	201-111/300+300-380	-	Single lever Mixer Tap 1/2" with double swivel spout	23 l/min	300 + 300	380
	201-121/220-325	-	Single lever Mixer Tap 1/2" with flat spout lockable	23 l/min	220	325
	201-121/270-325	-	Single lever Mixer Tap 1/2" with flat spout lockable	23 l/min	270	325
	201-121/320-325	-	Single lever Mixer Tap 1/2" with flat spout lockable	23 l/min	320	325
	201-121/370-325	-	Single lever Mixer Tap 1/2" with flat spout lockable	23 l/min	370	325
	201-121/300+220-395	-	Single lever Mixer Tap 1/2" with double swivel spout lockable	23 l/min	300 + 220	395
	201-121/300+270-395	-	Single lever Mixer Tap 1/2" with double swivel spout lockable	23 l/min	300 + 270	395
	201-121/400+320-395	-	Single lever Mixer Tap 1/2" with double swivel spout lockable	23 l/min	400 + 320	395

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Single lever Mixer Tap 1/2", low water pressue (LP)						
	203-101/200-200	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	200	200
	203-101/200-250	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	200	250
	203-101/200-300	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	200	300
	203-101/250-200	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	250	200
	203-101/250-250	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	250	250
	203-101/250-300	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	250	300
	203-101/300-200	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	300	200
	203-101/300-250	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	300	250
	203-101/300-300	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	300	300
	203-101/350-200	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	350	200
	203-101/350-250	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	350	250
	203-101/350-300	6460.91/A+H	Single lever Mixer Tap 1/2", LP with spout	20 l/min	350	300

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Two - hole Single Lever Mixerbatterie 1/2"						
	201-201/260-210	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	260	210
	201-201/260-260	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	260	260
	201-201/310-210	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	310	210
	201-201/310-260	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	310	260
	201-201/360-210	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	360	210
	201-201/360-260	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	360	260
	201-201/410-210	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	410	210
	201-201/410-260	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	410	260
Two - hole Single Lever Mixerbatterie 1/2" ,stand columns 100mm						
	201-201/260-310	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	260	310
	201-201/260-360	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	260	360
	201-201/310-310	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	310	310
	201-201/310-360	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	310	360
	201-201/360-310	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	360	310
	201-201/360-360	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	360	360
	201-201/410-310	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	410	310
	201-201/410-360	-	Two-hole single lever mixer batterie 1/2" with spout	23 l/min	410	360
	201-211/260-220	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	260	220
	201-211/310-220	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	310	220
	201-211/360-220	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	360	220
	201-211/410-220	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	410	220

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Two - hole Single Lever Mixerbatterie 1/2" ,stand columns 100mm						
	201-211/260-320	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	260	320
	201-211/310-320	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	310	320
	201-211/360-320	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	360	320
	201-211/410-320	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	410	320
	201-211/260+200-390	-	Two-hole single lever mixer batterie 1/2" with double swivel spout	23 l/min	260 + 200	390
	201-211/360+200-390	-	Two-hole single lever mixer batterie 1/2" with double swivel spout	23 l/min	360 + 200	390
	201-211/360+300-390	-	Two-hole single lever mixer batterie 1/2" with double swivel spout	23 l/min	360 + 300	390
	201-221/280-335	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	280	335
	201-221/330-335	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	330	335
	201-221/380-335	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	380	335
	201-221/430-335	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	430	335
	201-221/360+220-405	-	Two-hole single lever mixer batterie 1/2" with double swivel spout lockable	23 l/min	360 + 220	405
	201-221/360+270-405	-	Two-hole single lever mixer batterie 1/2" with double swivel spout lockable	23 l/min	360 + 270	405
Two - hole Single Lever Mixerbatterie 1/2" ,stand columns 300mm						
	201-211/260-420	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	260	420
	201-211/310-420	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	310	420
	201-211/360-420	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	360	420
	201-211/410-420	-	Two-hole single lever mixer batterie 1/2" with flat spout	23 l/min	410	420
	201-211/260+200-490	-	Two-hole single lever mixer batterie 1/2" with double swivel spout	23 l/min	260 + 200	490
	201-211/360+200-490	-	Two-hole single lever mixer batterie 1/2" with double swivel spout	23 l/min	360 + 200	490
	201-211/360+300-490	-	Two-hole single lever mixer batterie 1/2" with double swivel spout	23 l/min	360 + 300	490
	201-221/280-435	-	Single lever Mixer batterie1/2" with flat spout lockable	23 l/min	280	435
	201-221/330-435	-	Single lever Mixer batterie1/2" with flat spout lockable	23 l/min	330	435
	201-221/380-435	-	Single lever Mixer batterie1/2" with flat spout lockable	23 l/min	380	435
	201-221/430-435	-	Single lever Mixer batterie1/2" with flat spout lockable	23 l/min	430	435
	201-221/360+220-505	-	Two-hole single lever mixer batterie 1/2" with double swivel spout lockable	23 l/min	360 + 220	505
	201-221/360+270-505	-	Two-hole single lever mixer batterie 1/2" with double swivel spout lockable	23 l/min	360 + 270	505

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Wall-Single lever Mixer Batterie 1/2", Exit top , handle lower						
	202-205/200-120	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	200	120
	202-205/200-170	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	200	170
	202-205/200-220	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	200	220
	202-205/250-120	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	250	120
	202-205/250-170	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	250	170
	202-205/250-220	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	250	220
	202-205/300-120	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	300	120
	202-205/300-170	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	300	170
	202-205/300-220	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	300	220
	202-205/350-120	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	350	120
	202-205/350-170	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	350	170
	202-205/350-220	2462.20/A+H	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	350	220
	202-215/200-030	-	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	200	030
	202-215/250-030	-	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	250	030
	202-215/300-030	-	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	300	030
	202-215/350-030	-	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	350	030
	202-215/400-030	-	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	400	030
	202-215/450-030	-	Wall Single lever Mixer batterie 1/2" with flat spout	23 l/min	450	030
	202-215/200+200-100	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout	23 l/min	200 + 200	100
	202-215/300+200-100	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout	23 l/min	300 + 200	100
	202-215/300+300-100	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout	23 l/min	300 + 300	100
	202-225/220-045	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	220	045
	202-225/270-045	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	270	045
	202-225/320-045	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	320	045
	202-225/370-045	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	370	045
	202-225/300+220-115	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout lockable	23 l/min	300 + 220	115
	202-225/300+270-115	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout lockable	23 l/min	300 + 270	115
	202-225/400+320-115	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout lockable	23 l/min	400 + 320	115

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Wand-Einhebelmischbatterie 1/2", Abgang unten, Hebelgriff oben						
	202-217/200-125	-	Wall Single lever Mixer batterie 1/2" with S flat spout	23 l/min	200	125
	202-217/250-125	-	Wall Single lever Mixer batterie 1/2" with S flat spout	23 l/min	250	125
	202-217/300-125	-	Wall Single lever Mixer batterie 1/2" with S flat spout	23 l/min	300	125
	202-217/350-125	-	Wall Single lever Mixer batterie 1/2" with S flat spout	23 l/min	350	125
	202-217/400-125	-	Wall Single lever Mixer batterie 1/2" with S flat spout	23 l/min	400	125
	202-217/450-125	-	Wall Single lever Mixer batterie 1/2" with S flat spout	23 l/min	450	125
	202-217/300+200-055	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout	23 l/min	300 + 200	055
	202-227/220-110	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	220	110
	202-227/270-110	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	270	110
	202-227/320-110	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	320	110
	202-227/370-110	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	370	110
	202-227/420-110	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	420	110
	202-227/470-110	-	Wall Single lever Mixer batterie 1/2" with flat spout lockable	23 l/min	470	110
	202-227/400+220-040	-	Wall Single lever Mixer batterie 1/2" with flat double swivel spout lockable	23 l/min	400 + 220	040



Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
One handle -Standvalve 1/2"						
	205-101/200-175/02	-	One handle -Standvalve 1/2" with spout	30 l/min	200	175
	205-101/200-225/02	-	One handle -Standvalve 1/2" with spout	30 l/min	200	225
	205-101/200-275/02	-	One handle -Standvalve 1/2" with spout	30 l/min	200	275
	205-101/250-175/02	-	One handle -Standvalve 1/2" with spout	30 l/min	250	175
	205-101/250-225/02	-	One handle -Standvalve 1/2" with spout	30 l/min	250	225
	205-101/250-275/02	-	One handle -Standvalve 1/2" with spout	30 l/min	250	275
	205-101/300-175/02	-	One handle -Standvalve 1/2" with spout	30 l/min	300	175
	205-101/300-225/02	-	One handle -Standvalve 1/2" with spout	30 l/min	300	225
	205-101/300-275/02	-	One handle -Standvalve 1/2" with spout	30 l/min	300	275

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Angle valve 1/2", exit top					Connecting surface Ø 36 mm	
	206-101/200-120	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	200	120
	206-101/200-170	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	200	170
	206-101/200-220	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	200	220
	206-101/250-120	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	250	120
	206-101/250-170	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	250	170
	206-101/250-220	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	250	220
	206-101/300-120	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	300	120
	206-101/300-170	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	300	170
	206-101/300-220	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	300	220
	206-101/350-120	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	350	120
	206-101/350-170	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	350	170
	206-101/350-220	-	Angle valve 1/2", Ceramics Top with spout	20 l/min	350	220
	206-111/200-030	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	200	030
	206-111/250-030	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	250	030
	206-111/300-030	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	300	030
	206-111/350-030	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	350	030
	206-111/200+200-100	-	Angle valve 1/2", Ceramics Top with double swivel spout	20 l/min	200 + 200	100
	206-111/300+200-100	-	Angle valve 1/2", Ceramics Top with double swivel spout	20 l/min	300 + 200	100
	206-111/300+300-100	-	Angle valve 1/2", Ceramics Top with double swivel spout	20 l/min	300 + 300	100
	206-121/220-045	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	220	045
	206-121/270-045	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	270	045
	206-121/320-045	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	320	045
	206-121/370-045	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	370	045
	206-121/300+220-115	-	Angle valve 1/2", Ceramics Top with double swivel spout lockable	20 l/min	300 + 220	115
	206-121/300+270-115	-	Angle valve 1/2", Ceramics Top with double swivel spout lockable	20 l/min	300 + 270	115

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Angle valve 1/2", exit lower					Conneting surface Ø 36 mm	
	206-113/200-125	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	200	125
	206-113/250-125	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	250	125
	206-113/300-125	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	300	125
	206-113/350-125	-	Angle valve 1/2", Ceramics Top with flat spout	20 l/min	350	125
	206-113/300+200-055	-	Angle valve 1/2", Ceramics Top with double swivel spout	20 l/min	300 + 200	055
	206-123/220-110	-	Angle valve 1/2", Ceramics Top with flat spout lockable	20 l/min	220	110
	206-123/270-110	-	Angle valve 1/2", Ceramics Top with flat spout lockable	20 l/min	270	110
	206-123/320-110	-	Angle valve 1/2", Ceramics Top with flat spout lockable	20 l/min	320	110
	206-123/370-110	-	Angle valve 1/2", Ceramics Top with flat spout lockable	20 l/min	370	110
	206-123/400+220-040	-	Angle valve 1/2", Ceramics Top with double swivel spout lockable	20 l/min	400 + 220	040

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
One hole -2-Handle -Mixer Batterie 1/2"						
	207-101/200-140	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	140
	207-101/200-190	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	190
	207-101/200-240	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	240
	207-101/250-140	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	140
	207-101/250-190	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	190
	207-101/250-240	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	240
	207-101/300-140	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	140
	207-101/300-190	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	190
	207-101/300-240	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	240
	207-101/350-140	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	140
	207-101/350-190	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	190
	207-101/350-240	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	240
One hole -2-Handle -Mixer Batterie 1/2" on column 55mm						
	207-103/200-195	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	195
	207-103/200-245	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	245
	207-103/200-295	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	295
	207-103/250-195	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	195
	207-103/250-245	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	245
	207-103/250-295	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	295
	207-103/300-195	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	195
	207-103/300-245	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	245
	207-103/300-295	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	295
	207-103/350-195	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	195
	207-103/350-245	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	245
	207-103/350-295	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	295
	207-113/200-105	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	200	105
	207-113/250-105	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	250	105
	207-113/300-105	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	300	105
	207-113/350-105	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	350	105

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
One hole -2-Handle -Mixer Batterie 1/2" on column 125 mm						
	207-103/200-265	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	265
	207-103/200-315	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	315
	207-103/200-365	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	365
	207-103/250-265	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	265
	207-103/250-315	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	315
	207-103/250-365	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	365
	207-103/300-265	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	265
	207-103/300-315	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	315
	207-103/300-365	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	365
	207-103/350-265	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	265
	207-103/350-315	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	315
	207-103/350-365	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	365
	207-113/200-175	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	200	175
	207-113/250-175	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	250	175
	207-113/300-175	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	300	175
	207-113/350-175	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	350	175

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
One hole -2-Handle -Mixer Batterie 1/2" on column 325 mm						
	207-103/200-465	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	465
	207-103/200-515	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	515
	207-103/200-565	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	200	565
	207-103/250-465	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	465
	207-103/250-515	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	515
	207-103/250-565	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	250	565
	207-103/300-465	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	465
	207-103/300-515	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	515
	207-103/300-565	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	300	565
	207-103/350-465	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	465
	207-103/350-515	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	515
	207-103/350-565	6961.91/A+H	One hole -2-Handle - Mixer batterie 1/2" with spout	20 l/min	350	565
	207-113/200-375	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	200	375
	207-113/250-375	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	250	375
	207-113/300-375	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	300	375
	207-113/350-375	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout	20 l/min	350	375
	207-113/200+200-445	-	One hole -2-Handle - Mixer batterie 1/2" with double swivel spout	20 l/min	200 + 200	445
	207-113/300+200-445	-	One hole -2-Handle - Mixer batterie 1/2" with double swivel spout	20 l/min	300 + 200	445
	207-113/300+300-445	-	One hole -2-Handle - Mixer batterie 1/2" with double swivel spout	20 l/min	300 + 300	445
	207-123/220-390	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout lockable	20 l/min	220	390
	207-123/270-390	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout lockable	20 l/min	270	390
	207-123/320-390	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout lockable	20 l/min	320	390
	207-123/370-390	-	One hole -2-Handle - Mixer batterie 1/2" with flat spout lockable	20 l/min	370	390
	207-123/300+220-460	-	One hole -2-Handle - Mixer batterie 1/2" with double swivel spout lockable	20 l/min	300 + 220	460
	207-123/300+270-460	-	One hole -2-Handle - Mixer batterie 1/2" with double swivel spout lockable	20 l/min	300 + 270	460

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Two hole -2-handle - Mixeratterie 1/2"						
	207-203/200-150	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	150
	207-203/200-200	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	200
	207-203/200-250	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	250
	207-203/250-150	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	150
	207-203/250-200	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	200
	207-203/250-250	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	250
	207-203/300-150	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	150
	207-203/300-200	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	200
	207-203/300-250	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	250
	207-203/350-150	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	150
	207-203/350-200	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	200
	207-203/350-250	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	250
Two hole -2-handle - Mixeratterie 1/2" column stand 85 mm						
	207-201/200-245	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	245
	207-201/200-295	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	295
	207-201/250-245	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	245
	207-201/250-295	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	295
	207-201/300-245	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	245
	207-201/300-295	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	295
	207-201/350-245	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	245
	207-201/350-295	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	295

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Two hole -2-handle - Mixeratterie 1/2" column stand 185 mm						
	207-201/200-345	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	345
	207-201/200-395	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	395
	207-201/250-345	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	345
	207-201/250-395	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	395
	207-201/300-345	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	345
	207-201/300-395	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	300	395
	207-201/350-345	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	345
	207-201/350-395	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	350	395
Two hole -2-handle - Mixeratterie 1/2" column stand 285 mm						
	207-201/200-445	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	445
	207-201/200-495	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	200	495
	207-201/250-445	6925.22/A+H	Two hole 2-handle Mixer batterie 1/2" with spout	30 l/m	250	445


Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Wall-2-Handle - Mixeratterie 1/2", Exit top, handle top						
	208-201/200-115	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	200	115
	208-201/200-165	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	200	165
	208-201/200-215	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	200	215
	208-201/250-115	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	250	115
	208-201/250-165	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	250	165
	208-201/250-215	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	250	215
	208-201/300-115	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	300	115
	208-201/300-165	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	300	165
	208-201/300-215	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	300	215
	208-201/350-115	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	350	115
	208-201/350-165	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	350	165
	208-201/350-215	-	Wall two hole 2-handle batterie 1/2" with spout	30 l/m	350	215

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Wall Angle valve 1/2" without barriers Exit top					Conneting surface Ø 36 mm	
	216-101/200-115	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	200	115
	216-101/200-165	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	200	165
	216-101/200-215	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	200	215
	216-101/250-115	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	250	115
	216-101/250-165	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	250	165
	216-101/250-215	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	250	215
	216-101/300-115	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	300	115
	216-101/300-165	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	300	165
	216-101/300-215	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	300	215
	216-101/350-115	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	350	115
	216-101/350-165	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	350	165
	216-101/350-215	-	Wall Angle valve 1/2", without barriers with spout	20 l/min	350	215
	216-111/200-025	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	200	025
	216-111/250-025	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	250	025
	216-111/300-025	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	300	025
	216-111/350-025	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	350	025
	216-111/200+200-95	-	Wall Angle valve 1/2", without barriers with double swivel spout	20 l/min	200 + 200	95
	216-111/300+200-95	-	Wall Angle valve 1/2", without barriers with double swivel spout	20 l/min	300 + 200	95
	216-111/300+300-95	-	Wall Angle valve 1/2", without barriers with double swivel spout	20 l/min	300 + 300	95
	216-121/220-040	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	220	040
	216-121/270-040	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	270	040
	216-121/320-040	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	320	040
	216-121/370-040	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	370	040
	216-121/300+220-110	-	Wall Angle valve 1/2", without barriers with double swivel spout lockable	20 l/min	300 + 220	110
	216-121/300+270-110	-	Wall Angle valve 1/2", without barriers with double swivel spout lockable	20 l/min	300 + 270	110


Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Wall Angle valve 1/2", without barriers Exit lower					Conneting surface Ø 36 mm	
	216-113/200-120	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	200	120
	216-113/250-120	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	250	120
	216-113/300-120	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	300	120
	216-113/350-120	-	Wall Angle valve 1/2", without barriers with flat spout	20 l/min	350	120
	216-113/300+200-050	-	Wall Angle valve 1/2", without barriers with double swivel spout	20 l/min	300 + 200	050
	216-123/220-105	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	220	105
	216-123/270-105	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	270	105
	216-123/320-105	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	320	105
	216-123/370-105	-	Wall Angle valve 1/2", without barriers with flat spout lockable	20 l/min	370	105
	216-123/300+220-035	-	Wall Angle valve 1/2", without barriers with double swivel spout lockable	20 l/min	300 + 220	035

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
			Column Swivel arm 1/2" connection from the bottom		Conneting surface Ø 36 mm	
	217-101/200-150	-	Column Swivel arm 1/2" with spout	22 l/min	200	150
	217-101/200-200	-	Column Swivel arm 1/2" with spout	22 l/min	200	200
	217-101/200-250	-	Column Swivel arm 1/2" with spout	22 l/min	200	250
	217-101/250-150	-	Column Swivel arm 1/2" with spout	22 l/min	250	150
	217-101/250-200	-	Column Swivel arm 1/2" with spout	22 l/min	250	200
	217-101/250-250	-	Column Swivel arm 1/2" with spout	22 l/min	250	250
	217-101/300-150	-	Column Swivel arm 1/2" with spout	22 l/min	300	150
	217-101/300-200	-	Column Swivel arm 1/2" with spout	22 l/min	300	200
	217-101/300-250	-	Column Swivel arm 1/2" with spout	22 l/min	300	250
	217-101/350-150	-	Column Swivel arm 1/2" with spout	22 l/min	350	150
	217-101/350-200	-	Column Swivel arm 1/2" with spout	22 l/min	350	200
	217-101/350-250	-	Column Swivel arm 1/2" with spout	22 l/min	350	250
	217-111/200-060	-	Column Swivel arm 1/2" with flat spout	22 l/min	200	060
	217-111/250-060	-	Column Swivel arm 1/2" with flat spout	22 l/min	250	060
	217-111/300-060	-	Column Swivel arm 1/2" with flat spout	22 l/min	300	060
	217-111/350-060	-	Column Swivel arm 1/2" with flat spout	22 l/min	350	060
	217-111/200+200-130	-	Column Swivel arm 1/2" with double swivel spout	22 l/min	200 + 200	130
	217-111/300+200-130	-	Column Swivel arm 1/2" with double swivel spout	22 l/min	300 + 200	130
	217-111/300+300-130	-	Column Swivel arm 1/2" with double swivel spout	22 l/min	300 + 300	130
	217-121/220-075	-	Column Swivel arm 1/2" with flat spout lockable	22 l/min	220	075
	217-121/270-075	-	Column Swivel arm 1/2" with flat spout lockable	22 l/min	270	075
	217-121/320-075	-	Column Swivel arm 1/2" with flat spout lockable	22 l/min	320	075
	217-121/370-075	-	Column Swivel arm 1/2" with flat spout lockable	22 l/min	370	075
	217-121/300+220-145	-	Column Swivel arm 1/2" with double swivel spout lockable	22 l/min	300 + 220	145
	217-121/300+270-145	-	Column Swivel arm 1/2" with double swivel spout lockable	22 l/min	300 + 270	145

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Column Swivel arm 1/2" connection from the ceiling 				Connecting surface Ø 36 mm		
	217-113/200-155	-	Ceiling Swivel arm 1/2" with flat spout	22 l/min	200	155
	217-113/250-155	-	Ceiling Swivel arm 1/2" with flat spout	22 l/min	250	155
	217-113/300-155	-	Ceiling Swivel arm 1/2" with flat spout	22 l/min	300	155
	217-113/350-155	-	Ceiling Swivel arm 1/2" with flat spout	22 l/min	350	155
	217-113/300+200-085	-	Ceiling Swivel arm 1/2" with double swivel spout	22 l/min	300 + 200	085
	217-123/220-140	-	Ceiling Swivel arm 1/2" with flat spout lockable	22 l/min	220	140
	217-123/270-140	-	Ceiling Swivel arm 1/2" with flat spout lockable	22 l/min	270	140
	217-123/320-140	-	Ceiling Swivel arm 1/2" with flat spout lockable	22 l/min	320	140
	217-123/370-140	-	Ceiling Swivel arm 1/2" with flat spout lockable	22 l/min	370	140
	217-123/300+220-070	-	Ceiling Swivel arm 1/2" with double swivel spout lockable	22 l/min	300 + 220	070

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Single Lever - single hole batterie 1/2" - Stainless Steel						
	201-105/220-120/01	Stainless Steel 304	Single Lever - One hole batterie 1/2" Long spout Short lever	18 l/m	220	120
	201-105/220-120/02	Stainless Steel 304	Single Lever - One hole batterie 1/2" Long spout Long lever	18 l/m	220	120
	201-105/140-060/01	Stainless Steel 304	Single Lever - One hole batterie 1/2" Short spout Short lever	18 l/m	140	60
	201-105/140-060/02	Stainless Steel 304	Single Lever - One hole batterie 1/2" Short spout Long lever	18 l/m	140	60
	201-105/220-270/01	Stainless Steel 304	Single Lever - One hole batterie 1/2" Long spout Short lever	18 l/m	220	270
	201-105/220-270/02	Edelstahl	Single Lever - One hole batterie 1/2" Long spout Long lever	18 l/m	220	270


Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Sensor Taps 1/2"						
	211-104/120-130/02	Stainless Steel 304	Sensor tap 1/2" Contactless, electronically controlled basin mixer Battery operation (supplied without battery) Mains operation optional	6 l/m	120	130
	211-105/130-120/02	Stainless Steel 304	Sensor tap 1/2" Contactless, electronically controlled basin mixer Battery operation (supplied without battery) Mains operation optional	6 l/m	130	120
	211-104-1		EU power supply unit to sensor tap 6V für 211-104/120-130/02 and 211-105/130-120/02			
	211-104-2		UK power supply unit to sensor tap 6V für 211-104/120-130/02 and 211-105/130-120/02			
	2314.20	Brass, chrom pated	Sensor- tap 1/2" Power supply	6,5 l/m	117	103
	2314.20/04		Sensor- tap 1/2" Power supply	3,8 l/m	117	103
	2314.21		Sensor-Mixer tap 1/2" Batterie supply	6,5 l/m	117	103
	2314.21/04		Sensor-Mixer tap 1/2" Batterie supply	3,8 l/m	117	103
	2314.22		Sensor-Mixer tap 1/2" Power & Batterie supply	6,5 l/m	117	103
	2314.22/04		Sensor-Mixer tap 1/2" Power & Batterie supply	3,8 l/m	117	103

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Wall-mounted single-lever mixer tap 1/2", outlet at bottom, lever handle at top, with pipe aerator for hose reel systems						
	202-208/000-120/013	2463.24	Wall-mounted single-lever mixer tap 1/2" with pipe aerator and hose connection DN 13	23 l/m	0	120
Two Hole two Handle Mixer batterie 1/2", Exit lower, Top Handle lower, with pipe aerator for Hose retraction systems						
	208-204/000-115/013	2460.24	Two Handle Mixer batterie - 1/2" with pipe aerator hose connection DN 13	30 l/m	0	115
Mixer batteries 1/2", without Spouts						
	201-101/000-135	-	One hole single lever mixer batterie 1/2"		000	135
	201-101/000-235	-	One hole single lever mixer batterie 1/2" on column 100 mm		000	235
	201-101/000-335	-	One hole single lever mixer batterie 1/2" on column 200 mm		000	335
	201-201/000-145	-	Two hole -single lever-Mixerbatterie 1/2"		000	145
	201-201/000-245	-	Two hole -single lever-Mixerbatterie 1/2" on column 100mm		000	245
	201-201/000-345	-	Two hole -single lever-Mixerbatterie 1/2" on column 200mm		000	345
	202-205/000-055	-	Wall -single lever -Mixerbatterie 1/2" Exit top , Handle lower		000	055
	202-207/000-055	-	Wall -single lever -Mixerbatterie 1/2" Exit lower , Handle top		000	055
	203-101/000-135	-	One hole single lever Mixer batterie 1/2" Low watere pressure (ND)		000	135
	205-101/000-110/02	-	One hole -1-handle-Batterie 1/2"		000	110
	206-101/000-055	-	Wall 1-Handle -Batterie 1/2" Exit top		000	055
	206-101/000-055/02	-	Wall 1-Handle -Batterie 1/2" Exit top with chamfer		000	055
	206-103/000-055	-	Wall 1-Handle -Batterie 1/2" Exit lower		000	055
	206-103/000-055/02	-	Wall 1-Handle -Batterie 1/2" Exit lower with chamfer		000	055

Stainless Steel Water Taps 1/2"

Picture	Productcode	Previous code	Productdescription	Flow rate 3 bar	Projection A mm	Height H mm
Mixer batterie 1/2", without spout						
	207-101/000-075	-	One hole-2-Handle-Mixer batterie 1/2"		000	075
	207-103/000-130	-	One hole-2-Handle-Mixer batterie 1/2" on column 55 mm		000	130
	207-103/000-200	-	One hole-2-Handle-Mixer batterie 1/2" on column 125 mm		000	200
	207-203/000-085	-	2-hole-2-handle Mixer batterie 1/2"		000	085
	207-201/000-180	-	2-hole-2-handle Mixer batterie 1/2" on column 95 mm		000	180
	207-201/000-280	-	2-hole-2-handle Mixer batterie 1/2" on column 195 mm		000	280
	207-201/000-380	-	2-hole-2-handle Mixer batterie 1/2" on column 295 mm		000	380
	207-201/000-480	-	2-hole-2-handle Mixer batterie 1/2" on column 395 mm		000	480
	208-201/000-050	-	Wall -2-Handle-Mixer batterie 1/2" Exit top, Handle top		000	050
	208-203/000-050	-	Wall -2-Handle-Mixer batterie 1/2" Exit lower, Handle lower		000	050
	216-101/000-050	-	Wall - angle valve 1/2" Exit top		000	050
	216-103/000-050	-	Wall - angle valve 1/2" Exit top		000	050
	217-101/000-085	-	One hole -Swivel arm 1/2"		000	085
	217-103/000-085	-	Onehole -Swivel arm 1/2" connecting for ceiling		000	085