

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Single-lever Mixer Tap 3/4"						
	221-101/250-180	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	180
	221-101/250-215	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	215
	221-101/250-265	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	265
	221-101/250-365	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	365
	221-101/300-180	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	180
	221-101/300-215	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	215
	221-101/300-265	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	265
	221-101/300-365	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	365
	221-101/350-180	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	180
	221-101/350-215	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	215
	221-101/350-265	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	265
	221-101/350-365	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	365
	221-101/400-180	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	180
	221-101/400-215	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	215
	221-101/400-265	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	265
	221-101/400-365	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	365
	221-101/450-180	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	180
	221-101/450-215	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	215
	221-101/450-265	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	265
	221-101/450-365	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	365
	221-111/200-110	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	200	110
	221-111/250-110	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	250	110
	221-111/300-110	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	300	110
	221-111/350-110	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	350	110
	221-111/400-110	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	400	110

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Single-lever Mixer Tap 3/4", on column 90 mm						
	221-101/250-270	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	270
	221-101/250-305	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	305
	221-101/250-355	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	355
	221-101/250-455	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	455
	221-101/300-270	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	270
	221-101/300-305	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	305
	221-101/300-355	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	355
	221-101/300-455	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	455
	221-101/350-270	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	270
	221-101/350-305	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	305
	221-101/350-355	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	355
	221-101/350-455	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	455
	221-101/400-270	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	270
	221-101/400-305	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	305
	221-101/400-355	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	355
	221-101/400-455	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	455
	221-101/450-270	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	270
	221-101/450-305	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	305
	221-101/450-355	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	355
	221-101/450-455	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	455
	221-111/200-200	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	200	200
	221-111/250-200	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	250	200
	221-111/300-200	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	300	200
	221-111/350-200	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	350	200
	221-111/400-200	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	400	200

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Single-lever Mixer Tap 3/4", on column 290 mm						
	221-101/250-470	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	470
	221-101/250-505	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	505
	221-101/250-555	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	555
	221-101/300-470	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	470
	221-101/300-505	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	505
	221-101/300-555	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	555
	221-101/350-470	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	470
	221-101/350-505	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	505
	221-101/350-555	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	555
	221-101/400-470	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	470
	221-101/400-505	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	505
	221-101/400-555	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	555
	221-101/450-470	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	470
	221-101/450-505	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	505
	221-101/450-555	6470.50/A.H	Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	555
	221-111/200-400	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	200	400
	221-111/250-400	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	250	400
	221-111/300-400	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	300	400
	221-111/350-400	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	350	400
	221-111/400-400	-	Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	400	400

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Single-lever Mixer Tap 3/4", on column 290 mm						
	221-111/200+200-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	200 + 200	500
	221-111/250+200-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	250 + 200	500
	221-111/250+250-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	250 + 250	500
	221-111/300+200-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 200	500
	221-111/300+250-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 250	500
	221-111/300+300-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 300	500
	221-111/350+250-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	350 + 250	500
	221-111/350+300-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	350 + 300	500
	221-111/350+350-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	350 + 350	500
	221-111/400+300-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 300	500
	221-111/400+350-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 350	500
	221-111/400+400-500	-	Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 400	500
	221-121/270-420	-	Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	270	420
	221-121/370-420	-	Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	370	420
	221-121/470-420	-	Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	470	420
	221-121/300+270-520	-	Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	300 + 270	520
	221-121/400+270-520	-	Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	400 + 270	520

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two-hole Single-lever Mixer Tap 3/4", on column 90 mm						
	221-201/310-205	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	205
	221-201/310-240	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	240
	221-201/310-290	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	290
	221-201/360-205	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	205
	221-201/360-240	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	240
	221-201/360-290	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	290
	221-201/410-205	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	205
	221-201/410-240	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	240
	221-201/410-290	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	290
	221-201/460-205	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	205
	221-201/460-240	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	240
	221-201/460-290	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	290
	221-201/510-205	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	205
	221-201/510-240	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	240
	221-201/510-290	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	290

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two-hole Single-lever Mixer Tap 3/4", on column 190 mm						
	221-201/310-305	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	305
	221-201/310-340	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	340
	221-201/310-390	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	390
	221-201/360-305	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	305
	221-201/360-340	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	340
	221-201/360-390	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	390
	221-201/410-305	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	305
	221-201/410-340	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	340
	221-201/410-390	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	390
	221-201/460-305	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	305
	221-201/460-340	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	340
	221-201/460-390	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	390
	221-201/510-305	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	305
	221-201/510-340	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	340
	221-201/510-390	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	390
	221-211/260-235	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	260	235
	221-211/310-235	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	310	235
	221-211/360-235	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	360	235
	221-211/410-235	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	410	235

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two hole Single-lever Mixer Tap 3/4", on column 290 mm						
	221-201/310-405	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	405
	221-201/310-440	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	440
	221-201/310-490	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	490
	221-201/360-405	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	405
	221-201/360-440	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	440
	221-201/360-490	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	490
	221-201/410-405	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	405
	221-201/410-440	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	440
	221-201/410-490	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	490
	221-201/460-405	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	405
	221-201/460-440	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	440
	221-201/460-490	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	490
	221-201/510-405	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	405
	221-201/510-440	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	440
	221-211/260-335	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	260	335
	221-211/310-335	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	310	335
	221-211/360-335	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	360	335
	221-211/410-335	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	410	335

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two hole Single-lever Mixer Tap 3/4", on column 290 mm						
	221-211/260+200-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	260 + 200	200
	221-211/310+200-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	310 + 200	200
	221-211/310+250-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	310 + 250	250
	221-211/360+200-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	360 + 200	200
	221-211/360+250-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	360 + 250	250
	221-211/360+300-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	360 + 300	300
	221-211/410+250-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	410 + 250	250
	221-211/410+300-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	410 + 300	300
	221-211/410+350-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	410 + 350	350
	221-211/460+300-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	460 + 300	300
	221-211/460+350-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	460 + 350	350
	221-211/460+400-435	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	460 + 400	400
	221-221/330-355	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	330	355
	221-221/430-355	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	430	355
	221-221/360+270-455	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	360 + 270	270
	221-221/460+270-455	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	460 + 270	270
	221-221/460+370-455	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	460 + 370	370

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two-hole Single-lever Mixer Tap 3/4", on column 390 mm						
	221-201/310-505	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	505
	221-201/310-540	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	310	540
	221-201/360-505	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	505
	221-201/360-540	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	360	540
	221-201/410-505	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	505
	221-201/410-540	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	410	540
	221-201/460-505	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	505
	221-201/460-540	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	460	540
	221-201/510-505	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	505
	221-201/510-540	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	510	540
	221-201/560-505	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	560	505
	221-201/560-540	-	Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	560	540
	221-211/260-435	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	260	435
	221-211/310-435	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	310	435
	221-211/360-435	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	360	435
	221-211/410-435	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	410	435
	221-211/260+200-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	260 + 200	200
	221-211/310+200-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	310 + 200	200
	221-211/310+250-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	310 + 250	250
	221-211/360+200-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	360 + 200	200
	221-211/360+250-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	360 + 250	250
	221-211/360+300-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	360 + 300	300
	221-211/410+250-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	410 + 250	250
	221-211/410+300-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	410 + 300	300
	221-211/410+350-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	410 + 350	350
	221-211/460+300-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	460 + 300	300
	221-211/460+350-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	460 + 350	350
	221-211/460+400-535	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	460 + 400	400
	221-221/330-455	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	330	455
	221-221/430-455	-	Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	430	455
	221-221/360+270-555	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	360 + 270	270
	221-221/460+270-555	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	460 + 270	270
	221-221/460+370-555	-	Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	460 + 370	370

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Wall Two-hole Single-lever Mixer Tap 3/4", Exit at the up, Lever handle down						
	222-205/250-150	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	150
	222-205/250-200	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	200
	222-205/250-300	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	250	300
	222-205/300-150	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	150
	222-205/300-200	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	200
	222-205/300-300	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	300	300
	222-205/350-150	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	150
	222-205/350-200	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	200
	222-205/350-300	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	350	300
	222-205/400-150	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	150
	222-205/400-200	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	200
	222-205/400-300	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	400	300
	222-205/450-150	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	150
	222-205/450-200	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	200
	222-205/450-300	2462.30/A.H	Wall Two-hole Single-lever Mixer Tap 3/4" with Spout	50 l/min	450	300
	222-215/200-045	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	200	045
	222-215/250-045	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	250	045
	222-215/300-045	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	300	045
	222-215/350-045	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	350	045
	222-215/400-045	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	400	045

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Wall Two-hole Single-lever Mixer Tap 3/4", Exit at the down, Lever handle up						
	222-215/200+200-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	200 + 200	145
	222-215/250+200-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	250 + 200	145
	222-215/250+250-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	250 + 250	145
	222-215/300+200-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 200	145
	222-215/300+250-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 250	145
	222-215/300+300-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 300	145
	222-215/350+250-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	350 + 250	145
	222-215/350+300-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	350 + 300	145
	222-215/350+350-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	350 + 350	145
	222-215/400+300-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 300	145
	222-215/400+350-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 350	145
	222-215/400+400-145	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 400	145
	222-225/270-065	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	270	065
	222-225/370-065	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	370	065
	222-225/300+270-165	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	300 + 270	165
	222-225/400+270-165	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	400 + 270	165

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Wall Two hole Single-lever Mixer Tap 3/4", Exit at the down, Lever handle up						
	222-217/200-150	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	200	150
	222-217/250-150	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	250	150
	222-217/300-150	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	300	150
	222-217/350-150	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	350	150
	222-217/400-150	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout	50 l/min	400	150
	222-217/300+200-075	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	300 + 200	075
	222-217/400+200-075	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout	50 l/min	400 + 200	075
	222-227/270-135	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	270	135
	222-227/370-135	-	Wall Two-hole Single-lever Mixer Tap 3/4" with flat Spout lockable	50 l/min	370	135
	222-227/400+270-055	-	Wall Two-hole Single-lever Mixer Tap 3/4" with double swivel Spout lockable	50 l/min	400 + 270	055


Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Stand Column 3/4", 250 mm				 Additional valves are required build-in blocks are required by Echtermann.		
	223-101/250-305	-	Stand Column 3/4" with Spout	60 l/min	250	305
	223-101/250-340	-	Stand Column 3/4" with Spout	60 l/min	250	340
	223-101/250-390	-	Stand Column 3/4" with Spout	60 l/min	250	390
	223-101/300-305	-	Stand Column 3/4" with Spout	60 l/min	300	305
	223-101/300-340	-	Stand Column 3/4" with Spout	60 l/min	300	340
	223-101/300-390	-	Stand Column 3/4" with Spout	60 l/min	300	390
	223-101/350-305	-	Stand Column 3/4" with Spout	60 l/min	350	305
	223-101/350-340	-	Stand Column 3/4" with Spout	60 l/min	350	340
	223-101/350-390	-	Stand Column 3/4" with Spout	60 l/min	350	390
	223-101/400-305	-	Stand Column 3/4" with Spout	60 l/min	400	305
	223-101/400-340	-	Stand Column 3/4" with Spout	60 l/min	400	340
	223-101/400-390	-	Stand Column 3/4" with Spout	60 l/min	400	390
	223-111/200-235	-	Stand Column 3/4" with flat Spout	60 l/min	200	235
	223-111/250-235	-	Stand Column 3/4" with flat Spout	60 l/min	250	235
	223-111/300-235	-	Stand Column 3/4" with flat Spout	60 l/min	300	235
	223-111/350-235	-	Stand Column 3/4" with flat Spout	60 l/min	350	235
	223-111/400-235	-	Stand Column 3/4" with flat Spout	60 l/min	400	235

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Stand Column 3/4", 350 mm				 Additional valves are required build-in blocks are required by Echtermann.		
	223-101/250-405	-	Stand Column 3/4" with Spout	60 l/min	250	405
	223-101/250-440	-	Stand Column 3/4" with Spout	60 l/min	250	440
	223-101/250-490	-	Stand Column 3/4" with Spout	60 l/min	250	490
	223-101/300-405	-	Stand Column 3/4" with Spout	60 l/min	300	405
	223-101/300-440	-	Stand Column 3/4" with Spout	60 l/min	300	440
	223-101/300-490	-	Stand Column 3/4" with Spout	60 l/min	300	490
	223-101/350-405	-	Stand Column 3/4" with Spout	60 l/min	350	405
	223-101/350-440	-	Stand Column 3/4" with Spout	60 l/min	350	440
	223-101/350-490	-	Stand Column 3/4" with Spout	60 l/min	350	490
	223-101/400-405	-	Stand Column 3/4" with Spout	60 l/min	400	405
	223-101/400-440	-	Stand Column 3/4" with Spout	60 l/min	400	440
	223-101/400-490	-	Stand Column 3/4" with Spout	60 l/min	400	490
	223-111/200-335	-	Stand Column 3/4" with flat Spout	60 l/min	200	335
	223-111/250-335	-	Stand Column 3/4" with flat Spout	60 l/min	250	335
	223-111/300-335	-	Stand Column 3/4" with flat Spout	60 l/min	300	335
	223-111/350-335	-	Stand Column 3/4" with flat Spout	60 l/min	350	335
	223-111/400-335	-	Stand Column 3/4" with flat Spout	60 l/min	400	335
	223-111/200+200-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	200 + 200	435
	223-111/250+200-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	250 + 200	435
	223-111/250+250-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	250 + 250	435
	223-111/300+200-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	300 + 200	435
	223-111/300+250-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	300 + 250	435
	223-111/300+300-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	300 + 300	435
	223-111/350+250-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	350 + 250	435
	223-111/350+300-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	350 + 300	435
	223-111/350+350-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	350 + 350	435
	223-111/400+300-435	-	Stand Column 3/4" with double swivel Spout	60 l/min	400 + 300	435
	223-121/270-355	-	Stand Column 3/4" with flat Spout lockable	60 l/min	270	355
	223-121/370-355	-	Stand Column 3/4" with flat Spout lockable	60 l/min	370	355
	223-121/300+270-455	-	Stand Column 3/4" with double swivel Spout lockable	60 l/min	300 + 270	455
	223-121/400+270-455	-	Stand Column 3/4" with double swivel Spout lockable	60 l/min	400 + 270	455

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Stand Column 3/4", 450 mm				 Additional valves are required build-in blocks are required by Echtermann.		
	223-101/250-505	-	Stand Column 3/4" with Spout	60 l/min	250	505
	223-101/250-540	-	Stand Column 3/4" with Spout	60 l/min	250	540
	223-101/300-505	-	Stand Column 3/4" with Spout	60 l/min	300	505
	223-101/300-540	-	Stand Column 3/4" with Spout	60 l/min	300	540
	223-101/350-505	-	Stand Column 3/4" with Spout	60 l/min	350	505
	223-101/350-540	-	Stand Column 3/4" with Spout	60 l/min	350	540
	223-101/400-505	-	Stand Column 3/4" with Spout	60 l/min	400	505
	223-101/400-540	-	Stand Column 3/4" with Spout	60 l/min	400	540
	223-101/450-505	-	Stand Column 3/4" with Spout	60 l/min	450	505
	223-101/450-540	-	Stand Column 3/4" with Spout	60 l/min	450	540
	223-111/200-435	-	Stand Column 3/4" with flat Spout	60 l/min	200	435
	223-111/250-435	-	Stand Column 3/4" with flat Spout	60 l/min	250	435
	223-111/300-435	-	Stand Column 3/4" with flat Spout	60 l/min	300	435
	223-111/350-435	-	Stand Column 3/4" with flat Spout	60 l/min	350	435
	223-111/400-435	-	Stand Column 3/4" with flat Spout	60 l/min	400	435
	223-111/200+200-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	200 + 200	535
	223-111/250+200-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	250 + 200	535
	223-111/250+250-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	250 + 250	535
	223-111/300+200-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	300 + 200	535
	223-111/300+250-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	300 + 250	535
	223-111/300+300-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	300 + 300	535
	223-111/350+250-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	350 + 250	535
	223-111/350+300-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	350 + 300	535
	223-111/350+350-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	350 + 350	535
	223-111/400+300-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	400 + 300	535
	223-111/400+350-535	-	Stand Column 3/4" with double swivel Spout	60 l/min	400 + 350	535
	223-121/270-455	-	Stand Column 3/4" with flat Spout lockable	60 l/min	270	455
	223-121/370-455	-	Stand Column 3/4" with flat Spout lockable	60 l/min	370	455
	223-121/300+270-555	-	Stand Column 3/4" with double swivel Spout lockable	60 l/min	300 + 270	555
	223-121/400+270-555	-	Stand Column 3/4" with double swivel Spout lockable	60 l/min	400 + 270	555



Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Angle valve 3/4", Exit at the top				!	Connecting surface Ø 45 mm	
	224-101/250-105	-	Angle valve 3/4", with Ceramic headwork and Spout		250	105
	224-101/250-140	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	250	140
	224-101/250-190	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	250	190
	224-101/250-290	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	250	290
	224-101/250-390	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	250	390
	224-101/300-105	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	300	105
	224-101/300-140	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	300	140
	224-101/300-190	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	300	190
	224-101/300-290	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	300	290
	224-101/300-390	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	300	390
	224-101/350-140	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	350	140
	224-101/350-190	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	350	190
	224-101/350-290	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	350	290
	224-101/350-390	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	350	390
	224-101/400-140	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	400	140
	224-101/400-190	-	Angle valve 3/4", with Ceramic headwork and Spout	60 l/min	400	190
	224-111/200-035	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	200	035
	224-111/250-035	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	250	035
	224-111/300-035	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	300	035
	224-111/350-035	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	350	035
	224-111/400-035	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	400	035

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Angle valve 3/4", Exit at the top					Connecting surface Ø 45 mm	
	224-111/200+200-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout		200 + 200	135
	224-111/250+200-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	250 + 200	135
	224-111/250+250-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	250 + 250	135
	224-111/300+200-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	300 + 200	135
	224-111/300+250-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	300 + 250	135
	224-111/300+300-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	300 + 300	135
	224-111/350+250-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	350 + 250	135
	224-111/350+300-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	350 + 300	135
	224-111/350+350-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	350 + 350	135
	224-111/400+300-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	400 + 300	135
	224-111/400+350-135	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	400 + 350	135
	224-121/270-055	-	Angle valve 3/4", with Ceramic headwork and flat Spout lockable	60 l/min	270	055
	224-121/370-055	-	Angle valve 3/4", with Ceramic headwork and flat Spout lockable	60 l/min	370	055
	224-121/300+270-155	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout lockable	60 l/min	300 + 270	155
	224-121/400+270-155	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout lockable	60 l/min	400 + 270	155

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Angle valve 3/4", Exit downwards					Connecting surface Ø 45 mm	
	224-113/200-140	-	Angle valve 3/4", with Ceramic headwork and flat Spout		200	140
	224-113/250-140	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	250	140
	224-113/300-140	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	300	140
	224-113/350-140	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	350	140
	224-113/500-140	-	Angle valve 3/4", with Ceramic headwork and flat Spout	60 l/min	500	140
	224-113/300+200-065	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	300 + 200	065
	224-113/400+200-065	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout	60 l/min	400 + 200	065
	224-123/270-125	-	Angle valve 3/4", with Ceramic headwork and flat Spout lockable	60 l/min	270	125
	224-123/370-125	-	Angle valve 3/4", with Ceramic headwork and flat Spout lockable	60 l/min	370	125
	224-123/400+270-045	-	Angle valve 3/4", with Ceramic headwork and double swivel Spout lockable	60 l/min	400 + 270	045

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4" , Handle at an angle (Connection = 3/4" IG)						
	225-101/250-185	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	185
	225-101/250-220	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	220
	225-101/250-270	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	270
	225-101/250-370	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	370
	225-101/300-185	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	185
	225-101/300-220	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	220
	225-101/300-270	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	270
	225-101/300-370	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	370
	225-101/350-185	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	185
	225-101/350-220	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	220
	225-101/350-270	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	270
	225-101/350-370	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	370
	225-101/400-185	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	185
	225-101/400-220	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	220
	225-101/400-270	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	270
	225-101/400-370	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	370
	225-101/450-185	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	185
	225-101/450-220	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	220
	225-101/450-270	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	270
	225-101/450-370	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	370
	225-101/500-185	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	500	185
	225-101/500-220	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	500	220
	225-101/500-270	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	500	270

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4" , on 70mm column (Connection = 3/4" IG)						
	225-101/250-255	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	255
	225-101/250-290	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	290
	225-101/250-340	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	340
	225-101/300-255	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	255
	225-101/300-290	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	290
	225-101/300-340	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	340
	225-101/350-255	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	255
	225-101/350-290	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	290
	225-101/350-340	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	340
	225-101/400-255	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	255
	225-101/400-290	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	290
	225-101/400-340	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	340
	225-101/450-340	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	340
	225-111/200-185	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	200	185
	225-111/250-185	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	250	185
	225-111/300-185	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	300	185
	225-111/350-185	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	350	185
	225-111/400-185	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	400	185

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4", on 270 mm column Handles at an angle (Connection = 3/4" IG)						
	225-101/250-455	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	455
	225-101/250-490	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	490
	225-101/250-540	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	540
	225-101/300-455	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	455
	225-101/300-490	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	490
	225-101/300-540	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	540
	225-101/350-455	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	455
	225-101/350-490	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	490
	225-101/350-540	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	540
	225-101/400-455	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	455
	225-101/400-490	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	490
	225-101/400-540	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	540
	225-101/450-455	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	455
	225-101/450-490	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	490
	225-101/450-540	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	540
	225-101/500-455	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	500	455
	225-101/500-490	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	500	490
	225-101/500-540	6927.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	500	540
	225-111/200-385	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	200	385
	225-111/250-385	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	250	385
	225-111/300-385	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	300	385
	225-111/350-385	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	350	385
	225-111/400-385	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	60 l/min	400	385

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4" , on 270 mm column Handles at an angle (Connection = 3/4" IG)						
	225-111/200+200-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	200 + 200	485
	225-111/250+200-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	250 + 200	485
	225-111/250+250-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	250 + 250	485
	225-111/300+200-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	300 + 200	485
	225-111/300+250-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	300 + 250	485
	225-111/300+300-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	300 + 300	485
	225-111/350+250-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	350 + 250	485
	225-111/350+300-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	350 + 300	485
	225-111/350+350-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	350 + 350	485
	225-111/400+300-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	400 + 300	485
	225-111/400+350-485	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	60 l/min	400 + 350	485
	225-121/270-405	-	One hole-2-Handle Mixer tap 3/4" with flat Spout lockable	60 l/min	270	405
	225-121/370-405	-	One hole-2-Handle Mixer tap 3/4" with flat Spout lockable	60 l/min	370	405
	225-121/300+270-505	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout lockable	60 l/min	300 + 270	505
	225-121/400+270-505	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout lockable	60 l/min	400 + 270	505

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4", Handles at an angle mounting from above (Connection = 3/4" IG)						
	225-102/250-130	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	130
	225-102/250-165	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	165
	225-102/250-215	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	215
	225-102/250-315	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	315
	225-102/300-130	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	130
	225-102/300-165	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	165
	225-102/300-215	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	215
	225-102/300-315	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	315
	225-102/350-130	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	130
	225-102/350-165	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	165
	225-102/350-215	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	215
	225-102/350-315	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	315
	225-102/400-215	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	215
	225-102/400-315	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	315
	225-102/450-215	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	215
	225-102/450-315	6404.60/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	315
One hole -2-Handle -Mixer tap 3/4", Handles at an angle (Connection = 1/2" IG)						
	225-103/250-220	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	220
	225-103/250-270	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	270
	225-103/250-370	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	370
	225-103/300-220	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	220
	225-103/300-270	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	270
	225-103/300-370	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	370
	225-103/350-220	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	220
	225-103/350-270	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	270
	225-103/350-370	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	370
	225-103/400-220	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	220
	225-103/400-270	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	270
	225-103/400-370	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	370
	225-103/450-220	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	220
	225-103/450-270	6407.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	270


Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4" , Handles at an angle Water dosing system WDS (Connection = 3x 1/2" IG)						
	225-103/250-220/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	220
	225-103/250-270/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	270
	225-103/250-370/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	250	370
	225-103/300-220/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	220
	225-103/300-270/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	270
	225-103/300-370/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	300	370
	225-103/350-220/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	220
	225-103/350-270/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	270
	225-103/350-370/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	350	370
	225-103/400-270/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	270
	225-103/400-370/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	400	370
	225-103/450-220/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	220
	225-103/450-270/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	270
	225-103/450-370/WDS	6408.50/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/min	450	370

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4", Handles straight (Connection = 3/4" IG)						
	225-104/250-200	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	200
	225-104/250-235	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	235
	225-104/250-285	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	285
	225-104/300-200	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	200
	225-104/300-235	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	235
	225-104/300-285	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	285
	225-104/350-200	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	200
	225-104/350-235	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	235
	225-104/350-285	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	285
	225-104/400-200	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	200
	225-104/400-235	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	235
	225-104/400-285	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	285
	225-104/450-200	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	200
	225-104/450-235	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	235
	225-104/450-285	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	285

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4" , on column 70mm Handles straight (Connection = 3/4" IG)						
	225-104/250-270	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	270
	225-104/250-305	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	305
	225-104/300-270	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	270
	225-104/300-305	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	305
	225-104/350-270	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	270
	225-104/350-305	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	305
	225-104/400-270	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	270
	225-104/400-305	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	305
	225-104/450-270	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	270
	225-104/450-305	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	305
	225-114/200-200	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	200	200
	225-114/250-200	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	250	200
	225-114/300-200	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	300	200
	225-114/350-200	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	350	200
	225-114/400-200	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	400	200

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4", on column 270mm Handles straight (Connection = 3/4" IG)						
	225-104/250-470	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	470
	225-104/250-505	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	250	505
	225-104/300-470	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	470
	225-104/300-505	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	300	505
	225-104/350-470	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	470
	225-104/350-505	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	350	505
	225-104/400-470	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	470
	225-104/400-505	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	400	505
	225-104/450-470	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	470
	225-104/450-505	6957.90/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	50 l/m	450	505
	225-114/200-400	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	200	400
	225-114/250-400	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	250	400
	225-114/300-400	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	300	400
	225-114/350-400	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	350	400
	225-114/400-400	-	One hole-2-Handle Mixer tap 3/4" with flat Spout	50 l/m	400	400
	225-114/200+200-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	200 + 200	500
	225-114/250+200-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	250 + 200	500
	225-114/250+250-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	250 + 250	500
	225-114/300+200-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	300 + 200	500
	225-114/300+250-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	300 + 250	500
	225-114/300+300-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	300 + 300	500
	225-114/350+250-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	350 + 250	500
	225-114/350+300-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	350 + 300	500
	225-114/350+350-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	350 + 350	500
	225-114/400+300-500	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout	50 l/m	400 + 300	500
	225-124/270-420	-	One hole-2-Handle Mixer tap 3/4" with flat Spout lockable	50 l/m	270	420
	225-124/370-420	-	One hole-2-Handle Mixer tap 3/4" with flat Spout lockable	50 l/m	370	420
	225-124/300+270-520	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout lockable	50 l/m	300 + 270	520
	225-124/400+270-520	-	One hole-2-Handle Mixer tap 3/4" with double swivel Spout lockable	50 l/m	400 + 270	520

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4", Handles straight (Connection = 1/2" IG)						
	225-105/250-235	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	235
	225-105/250-285	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	285
	225-105/250-385	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	385
	225-105/300-235	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	235
	225-105/300-285	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	285
	225-105/300-385	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	385
	225-105/350-235	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	235
	225-105/350-285	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	285
	225-105/350-385	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	385
	225-105/400-235	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	235
	225-105/400-285	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	285
	225-105/400-385	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	385
	225-105/450-235	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	235
	225-105/450-285	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	285
	225-105/450-385	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	385

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4", Handles straight Water dosing system WDS (Connection = 3 x1/2" IG)						
	225-105/250-235/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	235
	225-105/250-285/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	285
	225-105/250-385/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	385
	225-105/300-235/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	235
	225-105/300-285/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	285
	225-105/300-385/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	385
	225-105/350-235/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	235
	225-105/350-285/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	285
	225-105/350-385/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	385
	225-105/400-235/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	235
	225-105/400-285/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	285
	225-105/400-385/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	385
	225-105/450-235/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	235
	225-105/450-285/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	285
	225-105/450-385/WDS	-	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	385

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
One hole -2-Handle -Mixer tap 3/4" , Handles at an angle Mountin from above (Connection = 3/4" IG)						
	225-106/250-165	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	165
	225-106/250-215	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	215
	225-106/250-315	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	315
	225-106/300-165	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	165
	225-106/300-215	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	215
	225-106/300-315	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	315
	225-106/350-165	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	165
	225-106/350-215	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	215
	225-106/350-315	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	315
	225-106/400-165	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	165
	225-106/400-215	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	215
	225-106/400-315	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	315
	225-106/450-165	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	165
	225-106/450-215	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	215
	225-106/450-315	6404.61/A.H	One hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	315

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two hole -2-Handle-Mixer Tap 3/4"						
	225-201/250-180	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	180
	225-201/250-215	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	215
	225-201/250-265	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	265
	225-201/250-365	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	365
	225-201/250-465	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	250	465
	225-201/300-180	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	180
	225-201/300-215	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	215
	225-201/300-265	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	265
	225-201/300-365	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	365
	225-201/300-465	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	300	465
	225-201/350-180	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	180
	225-201/350-215	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	215
	225-201/350-265	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	265
	225-201/350-365	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	365
	225-201/350-465	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	350	465
	225-201/400-180	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	180
	225-201/400-215	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	215
	225-201/400-465	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	400	465
	225-201/450-180	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	180
	225-201/450-215	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	215
	225-201/450-265	6925.32/A.H	Two hole-2-Handle Mixer tap 3/4" with Spout	60 l/m	450	265
Two-hole 2-handle mixer tap 3/4" spigot size 85 mm						
	225-203/250-150	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	250	150
	225-203/300-150	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	300	150
	225-203/350-150	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	350	150
	225-203/400-150	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	400	150
	225-203/450-150	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	450	150
	225-203/250-235	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	250	235
	225-203/300-235	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	300	235
	225-203/350-235	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	350	235
	225-203/400-235	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	400	235

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
	225-203/450-235	6922.32/A.H	Two-handle mixer tap 3/4" with HU spout - spigot size 85 mm	60 l/m	450	235

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two hole -2-Handle-Mixer Tap 3/4" Exit top , handles top						
	226-201/250-110	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	250	110
	226-201/250-145	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	250	145
	226-201/250-195	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	250	195
	226-201/250-295	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	250	295
	226-201/250-395	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	250	395
	226-201/300-110	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	300	110
	226-201/300-145	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	300	145
	226-201/300-195	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	300	195
	226-201/300-295	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	300	295
	226-201/300-395	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	300	395
	226-201/350-110	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	350	110
	226-201/350-145	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	350	145
	226-201/350-195	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	350	195
	226-201/350-295	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	350	295
	226-201/350-395	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	350	395
	226-201/400-110	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	400	110
	226-201/400-145	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	400	145
	226-201/400-195	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	400	195
	226-201/450-110	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	450	110
	226-201/450-145	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	450	145
	226-201/450-195	-	Wall 2-Handle -Mixer tap 3/4" with Spout	60 l/m	450	195
	226-211/200-040	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout	60 l/m	200	040
	226-211/250-040	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout	60 l/m	250	040
	226-211/300-040	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout	60 l/m	300	040
	226-211/350-040	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout	60 l/m	350	040
	226-211/400-040	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout	60 l/m	400	040

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two hole -2-Handle-Mixer Tap 3/4" Exit top , handles top						
	226-211/200+200-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	200 + 200	140
	226-211/250+200-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	250 + 200	140
	226-211/250+250-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	250 + 250	140
	226-211/300+200-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	300 + 200	140
	226-211/300+250-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	300 + 250	140
	226-211/300+300-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	300 + 300	140
	226-211/350+250-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	350 + 250	140
	226-211/350+300-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	350 + 300	140
	226-211/350+350-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	350 + 350	140
	226-211/400+300-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	400 + 300	140
	226-211/400+350-140	-	Wall 2-Handle -Mixer tap 3/4" with double swiver Spout	60 l/m	400 + 350	140
	226-221/270-060	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout lockable	60 l/m	270	060
	226-221/370-060	-	Wall 2-Handle -Mixer tap 3/4" with flat Spout lockable	60 l/m	370	060
	226-221/300+270-160	-	Wall 2-Handle Mixer tap 3/4" with double swivel Spout lockable	60 l/m	300 + 270	160
	226-221/400+270-160	-	Wall 2-Handle Mixer tap 3/4" with double swivel Spout lockable	60 l/m	400 + 270	160

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Two hole -2-Handle-Mixer Tap 3/4" Exit lower , handles lower						
	226-213/200-145	-	Wall-2-Handle -Mixer Tap 3/4" with flat Spout	60 l/m	200	145
	226-213/250-145	-	Wall-2-Handle -Mixer Tap 3/4" with flat Spout	60 l/m	250	145
	226-213/300-145	-	Wall-2-Handle -Mixer Tap 3/4" with flat Spout	60 l/m	300	145
	226-213/350-145	-	Wall-2-Handle -Mixer Tap 3/4" with flat Spout	60 l/m	350	145
	226-213/500-145	-	Wall-2-Handle -Mixer Tap 3/4" with flat Spout	60 l/m	500	145
	226-213/300+200-070	-	Wall-2-Handle -Mixer Tap 3/4" with double swivel Spout	60 l/m	300 + 200	070
	226-213/400+200-070	-	Wall-2-Handle -Mixer Tap 3/4" with double swivel Spout	60 l/m	400 + 200	070
	226-223/270-130	-	Wall-2-Handle -Mixer Tap 3/4" with Spout lockable	60 l/m	270	130
	226-223/370-130	-	Wall-2-Handle -Mixer Tap 3/4" with Spout lockable	60 l/m	370	130
	226-223/400+270-060	-	Wall-2-Handle -Mixer Tap 3/4" with double swivel Spout lockable	60 l/m	400 + 270	060



Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Angle valve 3/4", exit top					Connection surface Ø 45 mm	
	234-101/250-145	-	Angle valve 3/4", without barriers with Spout	60 l/m	250	145
	234-101/250-195	-	Angle valve 3/4", without barriers with Spout	60 l/m	250	195
	234-101/250-295	-	Angle valve 3/4", without barriers with Spout	60 l/m	250	295
	234-101/250-395	-	Angle valve 3/4", without barriers with Spout	60 l/m	250	395
	234-101/300-110	-	Angle valve 3/4", without barriers with Spout	60 l/m	300	110
	234-101/300-145	-	Angle valve 3/4", without barriers with Spout	60 l/m	300	145
	234-101/300-195	-	Angle valve 3/4", without barriers with Spout	60 l/m	300	195
	234-101/300-295	-	Angle valve 3/4", without barriers with Spout	60 l/m	300	295
	234-101/350-145	-	Angle valve 3/4", without barriers with Spout	60 l/m	350	145
	234-101/350-195	-	Angle valve 3/4", without barriers with Spout	60 l/m	350	195
	234-101/350-295	-	Angle valve 3/4", without barriers with Spout	60 l/m	350	295
	234-101/400-145	-	Angle valve 3/4", without barriers with Spout	60 l/m	400	145
	234-101/400-195	-	Angle valve 3/4", without barriers with Spout	60 l/m	400	195
	234-101/400-295	-	Angle valve 3/4", without barriers with Spout	60 l/m	400	295
	234-101/450-145	-	Angle valve 3/4", without barriers with Spout	60 l/m	450	145
	234-101/450-195	-	Angle valve 3/4", without barriers with Spout	60 l/m	450	195
	234-101/450-295	-	Angle valve 3/4", without barriers with Spout	60 l/m	450	295
	234-111/200-040	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	200	040
	234-111/250-040	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	250	040
	234-111/300-040	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	300	040
	234-111/350-040	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	350	040
	234-111/400-040	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	400	040


Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Angle valve 3/4", exit top					Connection surface Ø 45 mm	
	234-111/200+200-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	200 + 200	140
	234-111/250+200-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	250 + 200	140
	234-111/250+250-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	250 + 250	140
	234-111/300+200-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	300 + 200	140
	234-111/300+250-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	300 + 250	140
	234-111/300+300-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	300 + 300	140
	234-111/350+250-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	350 + 250	140
	234-111/350+300-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	350 + 300	140
	234-111/350+350-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	350 + 350	140
	234-111/400+300-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	400 + 300	140
	234-111/400+350-140	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	400 + 350	140
	234-121/270-060	-	Angle valve 3/4", without barriers with flat Spout lockable	60 l/m	270	060
	234-121/370-060	-	Angle valve 3/4", without barriers with flat Spout lockable	60 l/m	370	060
	234-121/300+270-160	-	Angle valve 3/4", without barriers with double swivel Spout lockable	60 l/m	300 + 270	160
	234-121/400+270-160	-	Angle valve 3/4", without barriers with double swivel Spout lockable	60 l/m	400 + 270	160

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Angle valve 3/4", exit lower				 Connection surface Ø 45 mm		
	234-113/200-145	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	200	145
	234-113/250-145	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	250	145
	234-113/300-145	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	300	145
	234-113/350-145	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	350	145
	234-113/500-145	-	Angle valve 3/4", without barriers with flat Spout	60 l/m	500	145
	234-113/300+200-070	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	300 + 200	070
	234-113/400+200-070	-	Angle valve 3/4", without barriers with double swivel Spout	60 l/m	400 + 200	070
	234-123/270-130	-	Angle valve 3/4", without barriers with flat Spout lockable	60 l/m	270	130
	234-123/370-130	-	Angle valve 3/4", without barriers with flat Spout lockable	60 l/m	370	130
	234-123/350+220-050	-	Angle valve 3/4", without barriers with flat Spout lockable	60 l/m	350 + 220	050
	234-123/400+270-050	-	Angle valve 3/4", without barriers with flat Spout lockable	60 l/m	400 + 270	050
Wall-Single lever Mixer battery 3/4", Exit lower Handle lower, with pipe aerator for Hose retraction systems						
	222-208/000-145/013	-	Wall-Single lever Mixer 3/4" with pipe aerator G 1" Hose nozzle sash DN 13	50 l/min	0	145
	222-208/000-160/019	-	Wall-Single lever Mixer 3/4" with pipe aerator G 1" Hose nozzle sash DN 19	50 l/min	0	160
Wall-Single lever Mixer battery 3/4", Exit lower Handle lower, with pipe aerator for Hose retraction systems						
	226-204/000-140/013	-	Wall-Single lever Mixer 3/4" with pipe aerator G 1" Hose nozzle sash DN 13	60 l/m	000	140
	226-204/000-155/019	-	Wall-Single lever Mixer 3/4" with pipe aerator G 1" Hose nozzle sash DN 19	60 l/m	000	155

Water Taps Stainless Steel 3/4"

Picture	Articel No.	Previously	Product description	Flow rate (3 bar) spout	Ausladung mm	Höhe mm
Mixer taps 3/4" without spouts						
	221-101/000-125	-	Single lever mixer battery 3/4"		000	125
	221-101/000-215	-	Single lever mixer battery 3/4" on column 90 mm		000	215
	221-101/000-415	-	Single lever mixer battery 3/4" on column 290 mm		000	415
	222-205/000-060	-	Wall - Single lever mixer battery 3/4" Exit top, Lever handle lower		000	060
	222-207/000-060	-	Wall - Single lever mixer battery 3/4" Exit lower , Lever handle top		000	060
	223-101/000-350	-	Stand column 3/4" H=350 mm		000	350
	223-101/000-450	-	Stand column 3/4" H=450 mm		000	450
	224-101/000-050	-	Angle valve 3/4" Exit top		000	050
	224-103/000-050	-	Angle valve 3/4" with chamfer , exit lower		000	050
	225-101/000-130	-	One hole -2-Handle Mixer Tap 3/4" Handles at an angle		000	130
	225-101/000-200	-	One hole -2-Handle Mixer Tap 3/4" Handles at an angle on a column 70 mm		000	200
	225-101/000-400	-	One hole -2-Handle Mixer Tap 3/4" Handles at an angle on a column 270 mm		000	400
	225-102/000-075	-	One hole -2-Handle -Mixer Tap 3/4" Handle at an angle - Connection from the top		000	075
	225-103/000-130	-	One hole -2-Handle -Mixer Tap 3/4" Handle at an angle		000	130
	225-103/000-130-WDS	-	Einloch-2-Griff-Mischbatterie 3/4" Handles at an angle , for water dosing system		000	130
	225-104/000-145	-	One hole -2-Handle -Mixer Tap 3/4" Handle straight		000	145
	225-104/000-215	-	One hole -2-Handle 3/4" Griffe schräg auf Säule 70 mm		000	215
	225-104/000-415	-	One hole -2-Handle -Mixer Tap 3/4" on column 270 mm, handle straight		000	415
	225-105/000-145	-	One hole -2-Handle -Mixer tap 3/4" (Connection = 1/2" IG) Handle straight		000	145
	225-105/000-145-WDS	-	One hole-2-Handle-Mixer Tap 3/4" Handle straight, for waterdosing system		000	145
	225-106/000-075	-	One hole -2-Handle-Mixer Tap 3/4" Handle at an angle - mountening from the above		000	075
	225-201/000-125	-	Two hole -2-Handle-Mixer Tap 3/4"		000	125
	226-201/000-055	-	Wall-2-Handle-Mixer battery 3/4" Exit top , handle top		000	055
	226-203/000-055	-	Wall-2-Handle-Mixer battery 3/4" Exit lower , handle lower		000	055
	234-103/000-055	-	Angle valve 3/4" with chamfer, Exit top		000	055