

Stainless Steel Pre rinse units


Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	301-102/000	6544.10	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed mixer without swivel spout	5 l/min	-	850 mm
	301-102/000/1000	6544.10/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed mixer without swivel spout	5 l/min	-	1000 mm
	301-102/220-295	6544.11	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed mixer with swivel spout	5 / 22 l/min	220 mm	850 mm
	301-102/220-295/1000	6544.11/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed mixer with swivel spout	5 / 22 l/min	220 mm	1000 mm
	301-102/270-295		TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed mixer with swivel spout	5 / 22 l/min	270 mm	850 mm
	301-102/270-295/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed mixer with swivel spout	5 / 22 l/min	270 mm	1000 mm

	301-202/000	6545.10	TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer without swivel spout	5 l/min	-	850 mm
	301-202/000/1000	6545.10/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer without swivel spout	5 l/min	-	1000 mm
	301-202/220-510	6545.11	TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer with swivel spout	5 / 22 l/min	220 mm	850 mm
	301-202/220-510/1000	6545.11/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer with swivel spout	5 / 22 l/min	220 mm	1000 mm
	301-202/270-510		TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer with swivel spout	5 / 22 l/min	270 mm	850 mm
	301-202/270-510/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer with swivel spout	5 / 22 l/min	270 mm	1000 mm

	302-202/000	6547.10	TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer wall without swivel spout	5 l/min	-	800 mm
	302-202/000/1000	6547.10/1000	TOP CLEAN Pre rinse unit High performance pull mechanism Single lever mixer wall without swivel spout	5 l/min	-	1000 mm
	302-202/270-215		TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer wall with swivel spout	5 / 22 l/min	270 mm	850 mm
	302-202/270-215/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Single lever mixer wall with swivel spout	5 / 22 l/min	270 mm	1000 mm

	303-102/000	6532	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed tap without swivel spout	5 l/min	-	850 mm
	303-102/000/1000	6532/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed tap without swivel spout	5 l/min	-	1000 mm
	303-102/220-250	6532.02	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed tap with swivel spout	5 / 22 l/min	220 mm	850 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	303-102/220-250/1000	6532.02/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed tap with swivel spout	5 / 22 l/min	220 mm	1000 mm
	303-102/270-250		TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed tap with swivel spout	5 / 22 l/min	270 mm	850 mm
	303-102/270-250/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Single feed tap with swivel spout	5 / 22 l/min	270 mm	1000 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	305-102/000	6534	TOP CLEAN Pre rinse unit High performance pull mechanism Two handle mixer tap without swivel spout	5 l/min	-	850 mm
	305-102/000/1000	6534/1000	TOP CLEAN Pre rinse unit High performance pull mechanism Two handle mixer tap without swivel spout	5 l/min	-	1000 mm
	305-102/220-255	6534.02	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	220 mm	850 mm
	305-102/220-255/1000	6534.02/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	220 mm	1000 mm
	305-102/270-255		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	850 mm
	305-102/270-255/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1000 mm

	305-202/000	6535	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap without swivel spout	5 l/min	-	850 mm
	305-202/000/1000	6535/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap without swivel spout	5 l/min	-	1000 mm
	305-202/150-285		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	150 mm	850 mm
	305-202/220-285	6536	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	220 mm	850 mm
	305-202/220-285/1000	6536/1000	TOP CLEAN Pre rinse unit High performance pull mechanism Two handle mixer tap	5 / 22 l/min	220 mm	1000 mm
	305-202/270-285		TOP CLEAN Pre rinse unit High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	850 mm
	305-202/270-285/1000		TOP CLEAN Pre rinse unit High performance pull mechanism Two handle mixer tap	5 / 22 l/min	270 mm	1000 mm

	305-202/150-440		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	150 mm	850 mm
	305-202/220-440	6539	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	220 mm	850 mm
	305-202/220-440/1000	6539/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	220 mm	1000 mm
	305-202/270-440		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	850 mm
	305-202/270-440/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1000 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	305-204/000	6541	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap without swivel spout	5 l/min	-	850 mm
	305-204/000/1000	6541/1000	TOP CLEAN Pre rinse unit High performance pull mechanism Two handle mixer tap without swivel spout	5 l/min	-	1000 mm
	305-204/220-245	6541.02	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap	5 / 22 l/min	220 mm	850 mm
	305-204/220-245/1000	6541.02/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap	5 / 22 l/min	220 mm	1000 mm
	305-204/270-245		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	850 mm
	305-204/270-245/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1000 mm

	306-202/000	6537	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap wall without swivel spout	5 l/min	-	850 mm
	306-202/000/1000	6537/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap wall without swivel spout	5 l/min	-	1000 mm
	306-202/270-060		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap wall with swivel spout	5 / 22 l/min	270 mm	850 mm
	306-202/270-060/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Two handle mixer tap wall with swivel spout	5 / 22 l/min	270 mm	1000 mm

	309-202/000		TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap without swivel spout	5 l/min	-	850 mm
	309-202/000/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap without swivel spout	5 l/min	-	1000 mm
	309-202/220-505	6446	TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap with swivel spout	5 / 22 l/min	220 mm	850 mm
	309-202/220-505/1000	6446/1000	TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap with swivel spout	5 / 22 l/min	220 mm	1000 mm
	309-202/270-505		TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap with swivel spout	5 / 22 l/min	270 mm	800 mm
	309-202/270-505/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap with swivel spout	5 / 22 l/min	270 mm	1000 mm

	310-202/000	6448 o. Auslauf	TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap wall without swivel spout	5 l/min	-	850 mm
	310-202/000/1000	6448/1000 o. Auslauf	TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap wall without swivel spout	5 l/min	-	1000 mm
	310-202/270-215		TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap wall with swivel spout	5 / 22 l/min	270 mm	850 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	310-202/270-215/1000		TOP CLEAN Pre rinse unit - High performance pull mechanism Thermostatic mixer tap wall with swivel spout	5 / 22 l/min	270 mm	1000 mm

Stainless Steel Pre rinse units


Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	321-102/000	6644.10	CLASSIC CLEAN pre rinse unit Single lever mixer without swivel spout	5 l/min	-	925 mm
	321-102/000/1250	6644.10/1250	CLASSIC CLEAN pre rinse unit Single lever mixer without swivel spout	5 l/min	-	1250 mm
	321-102/150-295		CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	150 mm	925 mm
	321-102/220-295	6644.11	CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	220 mm	925 mm
	321-102/220-295/1250	6644.11/1250	CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	220 mm	1250 mm
	321-102/270-295		CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	270 mm	925 mm
	321-102/270-295/1250		CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	270 mm	1250 mm

	321-202/000/1250	6645.10/1250	CLASSIC CLEAN pre rinse unit Single lever mixer without swivel spout	5 l/min	-	1250 mm
	321-202/220-510	6645.11	CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	220 mm	925 mm
	321-202/220-510/1250	6645.11/1250	CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	220 mm	1250 mm
	321-202/270-510		CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	270 mm	925 mm
	321-202/270-510/1250		CLASSIC CLEAN pre rinse unit Single lever mixer with swivel spout	5 / 22 l/min	270 mm	1250 mm

	322-202/000	6647.10	CLASSIC CLEAN pre rinse unit Single lever mixer wall without swivel spout	5 l/min	-	925 mm
	322-202/000/1250	6647.10/1250	CLASSIC CLEAN pre rinse unit Single lever mixer wall without swivel spout	5 l/min	-	1250 mm
	322-202/270-215		CLASSIC CLEAN pre rinse unit Single lever mixer wall with swivel spout	5 / 22 l/min	270 mm	925 mm
	322-202/270-215/1250		CLASSIC CLEAN pre rinse unit Single lever mixer wall with swivel spout	5 / 22 l/min	270 mm	1250 mm

	323-102/000	6632	CLASSIC CLEAN pre rinse unit Single feed tap without swivel spout	5 l/min	-	925 mm
	323-102/000/1250	6632/1250	CLASSIC CLEAN pre rinse unit Single feed tap without swivel spout	5 l/min	-	1250 mm
	323-102/220-250	6632.02	CLASSIC CLEAN pre rinse unit Single feed tap with swivel spout	5 / 22 l/min	220 mm	925 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	323-102/220-250/1250	6632.02/1250	CLASSIC CLEAN pre rinse unit Single feed tap with swivel spout	5 / 22 l/min	220 mm	1250 mm
	323-102/270-250		CLASSIC CLEAN pre rinse unit Single feed tap with swivel spout	5 / 22 l/min	270 mm	925 mm
	323-102/270-250/1250		CLASSIC CLEAN pre rinse unit Single feed tap with swivel spout	5 / 22 l/min	270 mm	1250 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	325-102/000	6634	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap without swivel spout	5 l/min	-	925 mm
	325-102/000/1250	6634/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap without swivel spout	5 l/min	-	1250 mm
	325-102/220-255	6634.02	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	925 mm
	325-102/220-255/1250	6634.02/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	1250 mm
	325-102/270-255		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	925 mm
	325-102/270-255/1250		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1250 mm

	325-202/000	6635	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap without swivel spout	5 l/min	-	925 mm
	325-202/000/1250	6635/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap without swivel spout	5 l/min	-	1250 mm
	325-202/150-285		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	150 mm	925 mm
	325-202/220-285	6636	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	925mm
	325-202/220-285/1250	6636/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	1250 mm
	325-202/270-285		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	925 mm
	325-202/270-285/1250		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1250 mm

	325-202/150-440		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	150 mm	925 mm
	325-202/220-440	6639	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	925 mm
	325-202/220-440/1250	6639/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	1250 mm
	325-202/270-440		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	925 mm
	325-202/270-440/1250		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1250 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	325-204/000	6641	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap without swivel spout	5 l/min	-	925 mm
	325-204/000/1250	6641/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap without swivel spout	5 l/min	-	1250 mm
	325-204/150-245		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	150 mm	925 mm
	325-204/220-245	6641.02	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	925 mm
	325-204/220-245/1250	6641.02/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	220 mm	1250 mm
	325-204/270-245		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	925 mm
	325-204/270-245/1250		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap with swivel spout	5 / 22 l/min	270 mm	1250 mm

	326-202/000	6637	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap wall without swivel spout	5 l/min	-	925 mm
	326-202/000/1250	6637/1250	CLASSIC CLEAN Pre rinse unit Two-handle mixer tap wall without swivel spout	5 l/min	-	1250 mm
	326-202/270-060		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap wall with swivel spout	5 / 22 l/min	270 mm	925 mm
	326-202/270-060/1250		CLASSIC CLEAN Pre rinse unit Two-handle mixer tap wall with swivel spout	5 / 22 l/min	270 mm	1250 mm

	329-202/000		CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap without swivel spout	5 l/min	-	925 mm
	329-202/000/1250		CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap without swivel spout	5 l/min	-	1250 mm
	329-202/220-505	6436	CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap with swivel spout	5 / 22 l/min	220 mm	925 mm
	329-202/220-505/1250	6436/1000	CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap with swivel spout	5 / 22 l/min	220 mm	1250 mm
	329-202/270-505		CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap with swivel spout	5 / 22 l/min	270 mm	925 mm
	329-202/270-505/1250		CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap with swivel spout	5 / 22 l/min	270 mm	1250 mm

	330-202/000		CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap wall without swivel spout	5 l/min	-	925 mm
	330-202/000/1250		CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap wall without swivel spout	5 l/min	-	1250 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	330-202/270-215	6641	CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap wall with swivel spout	5 / 22 l/min	270 mm	925 mm
	330-202/270-215/1250	6641-200/1250	CLASSIC CLEAN Pre rinse unit Thermostatic mixer tap wall with swivel spout	5 / 22 l/min	270 mm	1250 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	341-102/200-225	6523	SMART CLEAN pre rinse - medium hight, approx. 770mm Single lever mixer tap with swivel spout	5 / 22 l/min	200 mm	800 mm
	341-102/250-225		SMART CLEAN pre rinse - medium hight, approx. 770mm Single lever mixer tap with swivel spout	5 / 22 l/min	250 mm	800 mm
	341-102/300-225		SMART CLEAN pre rinse - medium hight, approx. 770mm Single lever mixer tap with swivel spout	5 / 22 l/min	300 mm	800 mm
	342-202/250-150		SMART CLEAN pre rinse - medium hight, approx. 770mm Single lever mixer tap wall with swivel spout	5 / 22 l/min	250 mm	800 mm
	342-202/300-150		SMART CLEAN pre rinse - medium hight, approx. 770mm Single lever mixer tap wall with swivel spout	5 / 22 l/min	300 mm	800 mm
	343-102/200-180		SMART CLEAN pre rinse - medium hight, approx. 770mm Stand valve mixer tap with swivel spout	5 / 22 l/min	200 mm	800 mm
	343-102/250-180		SMART CLEAN pre rinse - medium hight, approx. 770mm Stand valve mixer tap with swivel spout	5 / 22 l/min	250 mm	800 mm
	343-102/300-180		SMART CLEAN pre rinse - medium hight, approx. 770mm Stand valve mixer tap with swivel spout	5 / 22 l/min	300 mm	800 mm
	344-102/250-145		SMART CLEAN pre rinse - medium hight, approx. 770mm Wall corner valve with swivel spout	5 / 22 l/min	250 mm	800 mm
	344-102/300-145		SMART CLEAN pre rinse - medium hight, approx. 770mm Wall corner valve with swivel spout	5 / 22 l/min	300 mm	800 mm
	345-204/200-175	6525	SMART CLEAN pre rinse - medium hight, approx. 770mm Two handle mixer tap with swivel spout	5 / 22 l/min	200 mm	800 mm
	345-204/250-175	6525	SMART CLEAN pre rinse - medium hight, approx. 770mm Two handle mixer tap with swivel spout	5 / 22 l/min	250 mm	800 mm
	345-204/300-175	6525	SMART CLEAN pre rinse - medium hight, approx. 770mm Two handle mixer tap with swivel spout	5 / 22 l/min	300 mm	800 mm
	346-202/250-140	6529	SMART CLEAN pre rinse - medium hight, approx. 770mm Two handle mixer tap wall with swivel spout	5 / 22 l/min	250 mm	800 mm
	346-202/300-140	6529	SMART CLEAN pre rinse - medium hight, approx. 770mm Two handle mixer tap wall with swivel spout	5 / 22 l/min	300 mm	800 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	361-101/230-125	6450	COMFORT CLEAN 2in1 pre rinse single lever mixer	10 l/min	230 mm	500 mm
	363-101/230-125	6450.91	COMFORT CLEAN pre rinse low pressure single lever mixer	10 l/min	230 mm	500 mm
	362-201/230-050	6454	COMFORT CLEAN 2in1 pre rinse single lever mixer wall	10 l/min	230 mm	500 mm
	368-201/230-045		COMFORT CLEAN 2in1 pre rinse Wall Angle valve	10 l/min	230 mm	500 mm

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	311-001	6530	TOP CLEAN pre rinse - high performance pull mechanism pre rinse set	5 l/min	-	800 mm
	311-001/1000	6530/1000	TOP CLEAN pre rinse - high performance pull mechanism pre rinse set	5 l/min	-	1000 mm
	816-202/01/0925		High-pressure shower hose 925 mm x G 1/2" union nuts Standard/ suitable for CLASSIC CLEAN incl. seals			925 mm
	816-202/01/1250		High-pressure shower hose 1250 mm x G 1/2" union nuts Standard/ suitable for CLASSIC CLEAN incl. seals			1250 mm
	816-202/02/0850		High-pressure shower hose swivelling with ball 850 mm x G 1/2" union nuts Standard/ suitable for TOP CLEAN incl. stainless steel seals			850 mm
	816-202/02/1000		High-pressure shower hose swivelling with ball 1000 mm x G 1/2" union nuts Standard/ suitable for TOP CLEAN incl. stainless steel seals			1000 mm
	6532-3/0800		Stainless shower hose 800 mm x G 1/2" union nuts Standard / fits to TOP CLEAN incl. gaskets			800 mm
	6532-3/1000		Stainless shower hose 1000 mm x G 1/2" union nuts Standard / fits to TOP CLEAN incl. gaskets			1000 mm
	816-201-1-500		Shower hose 500 mm x G 1/2" x M15 x 1 AG fits to COMFORT CLEAN incl. Gaskets			500 mm
	2372.20-1		Aerator key Slim M24x1			
	2452.24/01		Classic Clean hand shower installed until 12/2024. Available as a spare part			
	824-331-01		Classic Clean hand shower installed from 01/2025. Fan jet nozzle 5 l/min			
	824-311-01		Top Clean hand shower, installed until 04/2025. Available as a spare part Concentrated water jet 15 l/min			
	824-311-03		Top Clean hand shower installed from 04/2025. Fan jet nozzle 5 l/min			
	824-365-01		Handshower Comfort Clean, metall - Soft Touch			
	824-365-01-1		Perlator-key, Comfort Clean			
	824-365-02		Handshower Comfort Clean, low pressure			

Stainless Steel Pre rinse units

Picture	Article No.	Previously	Product description	Flow rate (3 bar) spray gun/spout	Projection	Length of Hose
	825-311-01		Joint piece, 1/2"IG x 1/2"AG			
	830-001/165		Wall bracket; L=165 mm without Hook		165 mm	
	830-001/350		Wall bracket; L=350 mm without Hook		350 mm	
	830-001/420		Wall bracket ; L=420 mm without Hook		420 mm	
	830-002/410	6632.06-4	Supporttube - für TOP CLEAN / CLASSIC CLEAN für freestanding installtion on pre rinse units		410 mm	
	830-002/610		Supporttube - für TOP CLEAN / CLASSIC CLEAN for freestanding installtion on pre rinse units		610 mm	
	820-000/038		Tap hole plug complete (Ø 49 mm)			